

# Sorbents & Spill Control



**Fighting spills effectively**

# About BRADY



**Once you have worked with BRADY, our name will stick with you, (just like our labels) because BRADY is one of the world's leading labelling and identification specialists.**

## Innovative

At BRADY we continue to improve. We have many customers from all industries, and we strive to be ahead of their needs by continuing to invest in research for even more performant solutions. By developing more user-friendly and efficient concepts, we give our thousands of customers the best in the market.

## Strength

At BRADY, we believe our biggest strength is the wide range of identification and safety solutions we can offer our customers, whether it's labelling the smallest component or complete signage for an entire warehouse. We're also proud to offer many products and services - from printers, scanners and software to service contracts and on-site training - that compliment any identification job. And don't forget, our wide network of expert distributors can always offer you a tailor-made solution to meet your specific requirements.

## Trust

For almost a hundred years, BRADY has been connected with quality, trust and stability. We demand the best for your products and services, because we know, better than anyone, the importance of good and reliable identification. Identification looks like a small detail, but every professional knows that this kind of detail is crucial to any business.

## Inform

We also have specialised dealers in your region, who can answer all your identification and labelling questions, specific to your activity. They will be happy to provide you with all kinds of options and solutions with no obligation.



Brady products are sold on the condition that the purchaser will test them in actual use and determine for himself/herself their suitability to his/her intended purpose. Brady warrants to the purchaser that Brady products are free from defects in material and workmanship but limits its obligation under this warranty to the replacement of the product which has been shown to Brady's satisfaction to have been defective at the time of its purchase.

The warranty does not extend to any persons who have acquired the product from the purchaser. It is in lieu of any other warranty, including every warranty of sale-ability, marketability or suitability for the intended purpose, and is also in lieu of any other obligation or liability on the part of Brady.

Under no circumstances will Brady be liable for losses, damage, costs or subsequent damage of whatever nature which may arise in connection with the use of, or inability to use, Brady's products.

# ABSORBENT & SPILL CONTROL

## TABLE OF CONTENTS

### Introduction

|   |       |
|---|-------|
| Choosing Your Absorbents .....              | 4,5,6 |
| Why SPC Products? .....                     | 7     |
| Benefits From Meltblown Polypropylene ..... | 8     |

### Oil Only

|   |       |
|---|-------|
| ENV-Rolls and Pads .....                  | 11    |
| SR-Rolls and Pads .....                   | 11    |
| SPC-Rolls and Pads .....                  | 12    |
| SPC Blue-Rolls and Pads .....             | 12,13 |
| Oil Plus-Rolls and Pads .....             | 13    |
| SXT-Rolls and Pads .....                  | 14    |
| Drum Top Covers and SF Micro Fibres ..... | 15    |
| Bilge Booms, Socs and Pillows .....       | 16    |

### Marine

|               |        |
|---------------|--------|
| Rolls .....   | 18     |
| Booms .....   | 18, 19 |
| Sweep .....   | 20     |
| Nets .....    | 20     |
| Cansorb ..... | 20     |

### Universal

|                             |        |
|-----------------------------|--------|
| GP Rolls & Pads .....       | 23     |
| MRO Plus Rolls & Pads ..... | 23, 24 |
| UXT Rolls & Pads .....      | 24     |
| HT Rolls .....              | 25     |
| Allwik Pillows .....        | 25     |
| Drum Top Covers .....       | 25     |
| Slikwik Wipes .....         | 26     |
| Allwik Socs .....           | 26     |

### Chemical

|   |    |
|---|----|
| High Visibility Safety & Chemical Mat ..... | 28 |
| UN Pads & Rolls .....                       | 29 |
| UN Booms .....                              | 30 |
| Hazwik Socs .....                           | 30 |
| Hazwik Pillows .....                        | 30 |

### Mats & Rugs

|                                  |    |
|----------------------------------|----|
| Comfort Spill Mat .....          | 33 |
| Battlemat .....                  | 33 |
| BSM .....                        | 33 |
| SIR .....                        | 34 |
| Trackmat .....                   | 34 |
| High Visibility Safety Mat ..... | 34 |

### Re-form

|  |    |
|--|----|
| Re-Form™ Basic universal pads and socs ..... | 37 |
| Re-Form™ Pro Plus .....                      | 37 |
| Re-Form™ Plus .....                          | 38 |
| Re-Form™ XPlus .....                         | 38 |
| Re-Form™ Oil Only .....                      | 38 |

### Stations, Kits & Containment

|                              |        |
|------------------------------|--------|
| Spill Safety Stations .....  | 40     |
| Spill Response Plus .....    | 40     |
| Sorbent Dispensers .....     | 41     |
| ADR Spill Kits .....         | 42     |
| Portable Spill Kits .....    | 43     |
| Drum Spill Kits .....        | 43, 44 |
| Mobile Spill Kits .....      | 45     |
| OPA Kits .....               | 46, 47 |
| SKH-MINI .....               | 48     |
| SPC Spill Box .....          | 48     |
| SPC Sorbent Centre .....     | 49     |
| Spill Kits Accessories ..... | 50     |
| Spill Decks .....            | 51     |
| Spill Pallets .....          | 52     |
| Sentry QuickBerm OS .....    | 53     |
| Sentry Lite .....            | 53     |

### Reference

|                                  |    |
|----------------------------------|----|
| Chemical Application Guide ..... | 54 |
| Index .....                      | 55 |

## The Brady Advantage

When it comes to identification, safety and compliance, there's a clear advantage to working with Brady. We put our customers first in everything we do.

Our goal is to give you an unrivalled customer experience. We are relentlessly committed to performance and excellence - in our products, services and people.

Our products and solutions perform in ways that others simply can't match. Our people perform in ways that regularly exceed your expectations. And our focus and discipline work toward solid, long-term performance for our customers.

In short, Brady is the company you trust when performance matters most.

Learn more about the Brady Advantage at:  
[www.bradyeurope.com](http://www.bradyeurope.com)





# Choosing Your Absorbents

Having the right absorbent for the job makes a big difference. Proper product selection can make your employee's jobs easier, create a safer work environment, and even save you money! These three easy steps will help you find the correct SPC absorbent product for your application.

## 1 STEP ONE: KNOW WHAT YOU'RE ABSORBING

### Your Spill:

- Hydraulic oil
- Motor oil
- Brake fluid
- Cooking oil
- Turpentine
- And other oil-based fluids

### Your Absorbent Solution:

#### Oil Only Absorbents

These absorbents are specialised for oil and other petroleum-based spills including paints and other non-water soluble chemicals. These absorbents will not absorb water and will float indefinitely.

Page 10



### Your Spill:

- Coolants
- Solvents
- Gasoline
- Vegetable oil
- Kerosene
- And other water-based fluids

### Your Absorbent Solution:

#### Universal Absorbents

All-purpose products that clean-up oils, coolants, solvents and water-based fluids anywhere in your facility. Use around machinery, under leaky pipes, in messy traffic areas or for general maintenance projects.

Page 22



### Your Spill:

- Aggressive chemicals
- Citric acid
- Sodium hydroxide
- And other unknown chemicals

### Your Absorbent Solution:

#### Chemical Absorbents

Surfactant-treated polypropylene absorbents can be used on a wide range of chemicals, including hydrofluoric acid, and are chemically inert, so they will not react with aggressive fluids.

Page 28



### Your Spill:

- Cutting fluids
- Gasoline
- Coolants
- Non-aggressive chemicals
- And other water-based fluids

### Your Absorbent Solution:

#### Re-Form™ Eco-Friendly Absorbents

These all-purpose absorbents are made from a minimum of 80% recycled material. The Re-Form™ products are green to produce and green to use, and are up to 50% more absorbent than polypropylene absorbents. They also meet NFPA Class A Fire Retardancy (Universal products).

Page 35



## 2 STEP TWO: IDENTIFY YOUR ABSORBENT APPLICATION





### Wiping, Drips or Foot Traffic Applications

#### Pads & Rolls

Use for wiping or placing under drips and leaks. Pads are pre-cut absorbents, while rolls allow you to choose the length you need.

#### SOCs & Pillows

For use around equipment or placing under drips.



### Barrier-backed or Heavy Traffic Applications

#### Mats & Rugs

For use with heavy foot or vehicle traffic, or where a barrier-backed mat is needed.



### Emergency Spill Response

#### Spill Containment and Spill Kits

Be prepared for emergency spills with a variety of products already bundled together - so you can be confident you have the products you need to contain unexpected spills. Additional spill control available through the use of spill pallets and absorbent storage centres.

i

### Perforation Guide

**Single Perf**


Featured on many SPC pads & rolls

**Double Perf**

Featured on many SPC rolls

## 3 STEP THREE: SELECT YOUR ABSORBENT SIZE AND WEIGHT

Now that you know what you're absorbing, and what style of product you need, you can choose your absorbent from the many sizes and absorbency weights that Brady SPC offers.



# Choosing Your Absorbents

## THINK YOU'RE ALREADY USING THE CORRECT ABSORBENT? PUT IT TO THE TEST!

Want to know if your absorbent is working for you? Start at the end, in the rubbish bin. One of the best ways to pick the right absorbent is to see what it looks like when you're done with it. Take a look.



### Check Product Type

Looks like this absorbent roll is being used to contain a leak – instead consider using a SOC for containing leaky equipment. Brady offers SPC pads, rolls, SOC's, pillows and more so that you have the right type of product to contain your spill.



### Check Durability

Are your absorbents falling apart or tearing due to heavy traffic? Choose a tough absorbent for tough jobs so that you can take advantage of the full absorbent potential without your absorbent falling apart.



Under-saturated



Over-saturated

### Check Absorbency

Are your absorbents being used to their absorbency capacity? Or maybe your current absorbent isn't absorbing the whole spill. For small spills, choose a medium or light weight pad to avoid wasting absorbents.

For large spills, use a heavy weight pad to cut down on the number of lighter pads you go through.





## WHY SPC PRODUCTS?

For more than 30 years, SPC products have helped customers protect against leaks, drips and spills that create safety hazards in the workplace. Brady provides high-quality service, application expertise and product knowledge to SPC distributors and customers.

Brady SPC has a history of innovation and continues to develop industry-leading products and applications. Brady provides on-going lean initiatives to help offset raw material increases to keep costs stable and maintain maximum cost savings for our customers.

### Brady SPC - An Environmentally Friendly Company

As a socially responsible company, Brady SPC continually strives to reduce waste by reusing 97% of materials. In working to sustain unused materials, Brady SPC replenishes all wasted raw materials and reduces the amount of materials sent to landfills. Brady SPC's ultimate goal is to eliminate waste, conserve energy, recover resources and continue to work towards a zero waste facility.

## WHY IS SPILL CONTROL IMPORTANT?

Beyond the obvious need to protect our environment and to reuse or recycle as often as we can, a proper spill control programme can create a safe and productive work environment for your employees.

By complying with EPA and OSHA regulations around spill control we provide our people with conditions that allow for the greatest productivity and the least amount of down time for our facilities. The cost of non-compliance around this area of regulation can be devastating to any business.

### Spill Prevention Control & Countermeasure (SPCC) Plan

In the United States, the EPA issued its final rule amending the SPCC under the authority of the Federal Water Pollution Control Act. This regulation became effective as of August 16, 2002.

#### What is an SPCC Plan?

An SPCC Plan is a facility-specific comprehensive description of a facility's containment and counter measures that would prevent an oil spill from occurring as well as procedures to respond and clean-up an oil spill that does occur.

The SPCC plan addresses the following three areas:

- Operating procedures that prevent oil spills
- Control measures installed to prevent a spill from reaching the environment
- Countermeasures to contain, clean-up and mitigate the effects of an oil spill that reaches the environment



### Regulations (USA)

The following OSHA and EPA regulations protect your employees and the environment;

#### **29 CFR 1910.22(a)(2)**

Clean, dry workplace floors.

#### **40 CFR 112.7(c)(1)(vii)**

Absorbent materials are one option for preventing oil spills from reaching waterways.

#### **29 CFR 1910.120(j)(1)(vii)**

DOT-specified containers and suitable quantities of absorbents shall be kept available for response to spills.

# Benefits From Meltblown Polypropylene

## HOW MELTBLOWN POLYPROPYLENE SORBENTS CAN HELP YOU TO REDUCE COSTS...

75% of (industrial) companies are still using granular to clean up spills and leaks because they don't have or know an alternative, or because they believe that granular is the cheapest solution. At first glance, this may be true but the cost comparison below will show that meltblown polypropylene sorbents are a less costly alternative even though the initial purchase price may be higher.

| The cost for cleaning up a spill of 200 litres of oil. |  |   |
|--|--|---|
|  | Granular   | Sorbent Pads                                  |
| Material (kg)  | 200 kg (1 kg of granular absorbs 1 litre of oil) | 10 kg (1 kg of pads absorbs 20 litres of oil) |
| Price per kg (€/kg)                                    | 1 €/kg   | 15 €/kg                                       |
| Total waste (kg)                                       | 400 kg (200 ltr oil + 200 kg granular)           | 210 kg (200 ltr oil + 10 kg pads)             |
| Disposal cost per kg (€/kg)                            | 0.5 €/kg   | 0.5 €/kg                                      |
| <b>TOTAL COST</b>                                      | <b>400 € (200 € + 200 €)</b>                     | <b>255 € (150 € + 105 €)</b>                  |

**i** This is a basic analysis using estimations and averages. Savings would be even higher if labour cost was included in this calculation.

## REDUCE COSTS • INCREASE PRODUCTIVITY • IMPROVE SAFETY

More and more industries are using Meltblown Polypropylene (MBPP) sorbents for the control and clean up of oils, industrial liquids and chemicals in their workplace. See for yourself why MBPP sorbents are the product of choice!

| GRANULES |  | MBPP SORBENTS  |  |
|----------|--|--|--|
| 1        |  <p><b>LOW ABSORPTION</b><br/>Once or twice its weight.</p>   |  <p><b>ABSORBS 10 - 25 times ITS WEIGHT</b><br/>so you use less material... saves money for the overall lowest cost of ownership.</p> |  |
| 2        |  <p><b>SLOW ABSORPTION</b><br/>hours vs. seconds.</p>  |  <p><b>ABSORBS QUICKLY...</b> seconds vs. hours<br/>so spills are cleaned up quickly.</p>  |  |
| 3        |  <p><b>MESSY</b> &amp; more difficult to use.</p>   |  <p><b>SIMPLE</b> – use like a giant paper towel!</p>   |  |
| 4        |  <p><b>HIGH DISPOSAL COSTS</b><br/>due to volume needed.</p>  |  <p><b>LOWER DISPOSAL COSTS</b> due to less product needed. Also, environmentally responsible as it incinerates to .02% ash.</p>    |  |
| 5        |  <p><b>DIFFICULT</b> &amp; labour intensive to clean up.</p>  |  <p><b>EASY</b> pick-up and disposal, saving time and money.</p>  |  |
| 6        |  <p>Small particles enter and <b>DAMAGE MACHINERY</b> or your finished product. This is why more and more industries are banning the use of granules in their facilities.</p> |  <p><b>MACHINE FRIENDLY.</b><br/>No risk of loose fibres getting into machines or damaging your finished product.</p>               |  |
| 7        |  <p><b>LIMITED</b> chemical resistance.</p>   |  <p><b>WIDE CHEMICAL RESISTANCE.</b><br/>MBPP will not react with aggressive chemicals for greater safety.</p>                      |  |
| 8        |  <p><b>POTENTIAL HEALTH HAZARDS.</b><br/>(i.e. if silica based)</p>   |  <p><b>SAFE</b> – no potential health risk of inhaled dust particles.</p>   |  |

As a user of sorbents, you know where at least 75% of your leaks, drips and spills may occur. By using MBPP sorbents, you can easily place sorbents under these risk zones - something that is definitely too messy to do with granules.

**THINK SMART ... WORK SMART**





# Oil Only

## Absorbs Oil and Repels Water

### Oil Only Absorbency

Specialised for oil and other petroleum-based spills, oil only pads and rolls will not absorb water and will float indefinitely. These absorbents are unaffected by temperature and impervious to rot and mildew. Ideal for outside use, Brady's oil only SPC products are equally effective in soaking up petroleum-based solvents and paints, vegetable oils and other non water soluble oil-based fluids.

### The Technology







The technology (construction layers, weave and loft) behind each of the oil only products helps determine the strength and absorbency of each absorbent. This information along with the product's characteristics are what helps you decide which absorbent is best for your application.

### Common Liquids Absorbed:

- Drilling and cutting fluids
- Hydraulic and brake fluids
- Engine oils
- Transmission fluids
- Lubricants
- Gasoline, diesel and aircraft fuels
- Cooking oils
- Oil-based paints and solvents
- And other oils and petroleum-based fluids

## OIL ONLY ABSORBENT FAMILY:

All of these pads and rolls start with a highly absorbent polypropylene core - the difference is what happens from there. Features such as durability, absorbency grades and spunbound give you versatile absorbent options for your specific application.

|   | Applications   | Durability | Linting        | Absorbency Grades              | Construction  |
|---|--|------------|----------------|--------------------------------|---|
| <b>ENV®<br/>Oil Absorbent<br/>Pads &amp; Rolls</b><br>Page 11                                 | Contractor grade for emergency marine spills and maximum absorbency                | ✓          | High Linting   | Heavy, Medium and Light Weight | <br><b>1-PLY</b><br>Plain Meltblown  |
| <b>Static Resistant Absorbent Pads</b><br>Page 11   | For wherever static electricity is a concern, around fuel or other ignitable fumes | ✓          | High Linting   | Heavy and Light Weight         | <br><b>1-PLY</b><br>Plain Meltblown  |
| <b>SPC®<br/>Oil Absorbent<br/>Pads, SOC's &amp; Rolls</b><br>Page 12                          | Cost effective and ideal for industrial applications or marine spills              | ✓✓         | Medium Linting | Heavy, Medium and Light Weight | <br><b>1-PLY</b><br>Meltblown Dimpled (optional) Perforated                             |
| <b>Oil Plus Absorbent Pads &amp; Rolls</b><br>Page 13   | Durable for general industrial applications such as wiping, drips and leaks        | ✓✓         | Medium Linting | Heavy Weight                   | <br><b>2-PLY</b><br>Meltblown + spunbound on 1 side, dimpled and (optional) perforated |
| <b>SXT®<br/>Oil Absorbent<br/>Pads &amp; Rolls</b><br>Page 14                                 | Quality absorbent for wiping tools or component parts that require high durability | ✓✓✓        | Low Linting    | Light and Medium Weight        | <br><b>3-PLY</b><br>Meltblown + spunbound on 2 sides, dimpled and perforated           |
| <b>Oil Only Absorbent SOC's, Booms, Pillows, Drum Cover &amp; Micro Fibres</b><br>Page 15, 16 | Value absorbent for leaks, spills around machine, in tight spaces                  |            |                |                                |    |



## ENV - Our most basic oil only rolls. IDEAL FOR MARINE APPLICATIONS.


- Absorbs oil & petroleum based liquids.
- Stronger more durable product with a superior finish - looks better and performs better!



| Order Reference | Article No. | Description                      | Total Qty/Pack  | Absorption Capacity (Ltrs) |
|-----------------|-------------|----------------------------------|-----------------|----------------------------|
| ENV150-E        | 813761      | ROLL, 96 cm x 44 m, Heavy weight | 1 Roll(s) / Bag | 274                        |
| ENV152-E        | 813762      | ROLL, 48 cm x 44 m, Heavy weight | 2 Roll(s) / Bag | 274                        |

## ENV - OIL ONLY PADS MADE WITH SPC's MAXX TECHNOLOGY! SUPERIOR ABSORBENCY, GREATER STRENGTH PLUS LESS WEIGHT MEANS LOWER DISPOSAL COSTS!

- MAXX pads absorb up to 24 times their weight in oil.
- With MAXX technology less material is needed to pick up the same amount of oil, which results in lower disposal costs!
- MAXX pads are also up to 25% stronger! The superior finish on MAXX pads results in less lint and more abrasion resistance!
- Packed in boxes for easy handling and storage.
- Ideal for environmental/industrial applications where low cost and high absorbency are required.



| Order Reference | Article No. | Description                             | Total Qty/Pack   | Absorption Capacity (Ltrs) |
|-----------------|-------------|---|------------------|----------------------------|
| ENV100-M        | 813741      | MAXX PADS, 41 cm x 51 cm, Heavy weight  | 100 Pad(s) / Box | 136                        |
| ENV200-M        | 813742      | MAXX PADS, 41 cm x 51 cm, Light weight  | 200 Pad(s) / Box | 221                        |
| ENV300-M        | 813743      | MAXX PADS, 41 cm x 51 cm, Medium weight | 100 Pad(s) / Box | 111                        |
| ENV400-M        | 813744      | MAXX PADS, 41 cm x 51 cm, Light weight  | 100 Pad(s) / Box | 110                        |

## SR - STATIC RESISTANT OIL ONLY PADS AND ROLLS DESIGNED FOR AREAS WHERE STATIC ELECTRICITY IS A CONCERN.

- Absorbs oil & petroleum based liquids.
- For areas where static build-up is an issue - SR pads and rolls reduce the safety risk.





| Order Reference | Article No. | Description                       | Total Qty/Pack  | Absorption Capacity (Ltrs) |
|-----------------|-------------|-----------------------------------|-----------------|----------------------------|
| SR1850          | 813745      | PADS, 38 cm x 48 cm, Light weight | 50 Pad(s) / Bag | 30                         |
| SR3625          | 813746      | PADS, 76 cm x 76 cm, Heavy weight | 25 Pad(s) / Bag | 61                         |
| SR3600          | 813766      | ROLL, 76 cm x 46 m, Heavy weight  | 1 Roll(s) / Bag | 167                        |



## SPC - OUR STANDARD OIL ONLY ROLLS FOR INDUSTRIAL OR MARINE USE.



- Absorbs oil & petroleum based liquids.
- Stronger, more durable product with a superior finish for more abrasion resistance - looks better and performs better!
- Ideal rolls to cover a large surface area for fast clean up of spills, leaks and drips.



| Order Reference | Article No. | Description   | Total Qty/Pack  | Absorption Capacity (Ltrs) |
|-----------------|-------------|---|-----------------|----------------------------|
| SPC150          | 813759      | ROLL, 96 cm x 44 m, Heavy weight, bonded                | 1 Roll(s) / Bag | 231                        |
| SPC150-P        | 138590      | ROLL, 96 cm x 44 m, Heavy weight, perforated and bonded | 1 Roll(s) / Bag | 231                        |
| SPC152          | 813760      | ROLL, 48 cm x 44 m, Heavy weight, bonded                | 2 Roll(s) / Bag | 231                        |
| SPC152-P        | 138591      | ROLL, 48 cm x 44 m, Heavy weight, perforated and bonded | 2 Roll(s) / Bag | 231                        |

## SPC - OUR STANDARD OIL ONLY PADS FOR INDUSTRIAL OR MARINE USE.



- Absorbs oil & petroleum based liquids.
- SPC pads are now up to 25% stronger! In addition, they now have a smoother, better looking finish with less lint and improved durability!
- Packed in boxes for easy handling and storage.
- Convenient and cost effective pads for clean up of oil on land or water.
- Choice of 3 options: Heavy weight for high absorbency, medium and light weight for less demanding applications.




| Order Reference | Article No. | Description   | Total Qty/Pack   | Absorption Capacity (Ltrs) |
|-----------------|-------------|---|------------------|----------------------------|
| SPC100-E        | 813736      | PADS, 41 cm x 51 cm, Heavy weight, perforated & bonded  | 100 Pad(s) / Box | 114                        |
| SPC200-E        | 813737      | PADS, 41 cm x 51 cm, Light weight, perforated & bonded  | 200 Pad(s) / Box | 166                        |
| SPC300-E        | 813738      | PADS, 41 cm x 51 cm, Medium weight, perforated & bonded | 100 Pad(s) / Box | 102                        |
| SPC200-3-E      | 813739      | PADS, 30 cm x 30 cm, Light weight, perforated & bonded  | 200 Pad(s) / Bag | 71                         |
| SPC50-E         | 813740      | PADS, 84 cm x 100 cm, Heavy weight, perforated & bonded | 50 Pad(s) / Bag  | 230                        |

## SPC BLUE - OIL ONLY ROLLS WITH ADDED DURABILITY.




- Absorbs oil & petroleum based liquids.
- One-sided blue coverstock for added strength and less lint.
- Ideal sorbent for use in the paper industry where the blue colour is desired to differentiate cellulose from polypropylene.



| Order Reference | Article No. | Description   | Total Qty/Pack  | Absorption Capacity (Ltrs) |
|-----------------|-------------|---|-----------------|----------------------------|
| SPC155          | 813757      | ROLL, 96 cm x 44 m, Heavy weight, bonded              | 1 Roll(s) / Bag | 244                        |
| SPC155-2P       | 813758      | ROLL, 48 cm x 44 m, Heavy weight, perforated & bonded | 2 Roll(s) / Bag | 244                        |

## SPC BLUE - OIL ONLY PADS WITH ADDED DURABILITY.

- Absorbs oil & petroleum based liquids.
- One-sided blue spunbound for added strength and less lint.
- Can be used as a “wipe down” sorbent.
- Popular sorbent in the paper-industry where identification of foreign material in the production process is critical. SPC Blue is highly visible!




2-PLY  
Meltblown + spunbound on 1 side, dimpled and (optional) perforated



| Order Reference | Article No. | Description  | Total Qty/Pack   | Absorption Capacity (Ltrs) |
|-----------------|-------------|--|------------------|----------------------------|
| SPC105-E        | 813735      | PADS, 41 cm x 51 cm, Heavy weight, perforated & bonded | 100 Pad(s) / Bag | 121                        |

## OIL PLUS - OUR MOST POPULAR OIL ONLY ROLLS FOR GENERAL INDUSTRIAL USE!

- Absorbs oil & petroleum based liquids.
- One-sided spunbond gives extra strength as well as lower lint.
- A high quality oil only sorbent for applications where a combination of good adsorption and added strength is required.
- Ideal solution for catching overspray that comes from machinery.
- Available with perforations for ease of use and to minimise waste.
- Wide selection of sizes available.



2-PLY  
Meltblown + spunbound on 1 side, dimpled and (optional) perforated



Use in storage areas...




...or use around or under machines to catch leaks and drips.

| Order Reference | Article No. | Description  | Total Qty/Pack            | Absorption Capacity (Ltrs) |
|-----------------|-------------|--|---------------------------|----------------------------|
| OP15-E          | 813750      | ROLL, 38 cm x 46 m, Heavy weight, bonded                                 | 1 Roll(s) / Dispenser box | 94                         |
| OP15-P-E        | 813751      | ROLL, 38 cm x 46 m, Heavy weight, perforated & bonded                    | 1 Roll(s) / Dispenser box | 94                         |
| OP15-DP-E       | 813752      | ROLL, 38 cm x 46 m, Heavy weight, double perforated & bonded             | 1 Roll(s) / Dispenser box | 94                         |
| OP15-DPS-E      | 813753      | ROLL, 38 cm x 22 m, Heavy weight, double perforated & bonded             | 1 Roll(s) / Dispenser box | 45                         |
| OP30-E          | 813754      | ROLL, 76 cm x 46 m, Heavy weight, bonded                                 | 1 Roll(s) / Box           | 187                        |
| OP30-P-E        | 813755      | ROLL OIL ONLY, 76 cm x 46 m, Heavy weight, perforated & bonded           | 1 Roll(s) / Box           | 187                        |
| OP30-DP-E       | 813756      | ROLL, 76 cm x 46 m, Heavy weight, double perforated & bonded             | 1 Roll(s) / Box           | 187                        |
| OP365-P         | 834175      | ROLL, 19 cm x 15 m, Heavy weight, perforated & bonded (60 pads per roll) | 1 Roll(s) / Roll(s)       | 15                         |

## OIL PLUS - OUR MOST POPULAR OIL ONLY PADS. PERFECT FOR GENERAL EVERYDAY USE AND EMERGENCY SPILL CLEAN UP.

- Absorbs oil & petroleum based liquids.
- Ideal sorbent for dealing with leaks and drips in the workplace.
- Perforated to help you minimise waste and lower your disposal costs.
- One-sided spunbond gives extra strength as well as lower lint.
- Available with SPC's unique “Dispense & Dispose” system for added convenience and lower cost per pad!



2-PLY  
Meltblown + spunbound on 1 side, dimpled and (optional) perforated



OP pads under oil cans & drums to catch small drips.

| Order Reference | Article No. | Description   | Total Qty/Pack             | Absorption Capacity (Ltrs) |
|-----------------|-------------|---|----------------------------|----------------------------|
| OP100-E         | 813732      | PADS, 41 cm x 51 cm, Heavy weight, perforated & bonded                            | 100 Pad(s) / Box           | 112                        |
| OP150-DND-E     | 813733      | PADS, 41 cm x 51 cm, Heavy weight, perforated & bonded, Dispense & Dispose System | 150 Pad(s) / Dispenser box | 168                        |
| OP200-E         | 138589      | PADS, 41 cm x 51 cm, Light weight, perforated & bonded                            | 200 Pad(s) / Box           | 149                        |

**i** Black disposal bags, capacity 151 litres, can be ordered separately. Order Reference: BAG-150DND



### Dispense & Dispose System:

Dispenser box for easy access to the product & disposal bags and box to ensure proper disposal of waste.



Keeps machine surroundings dry and safe!

## SXT - EXTRA TOUGH OIL ONLY ROLLS. DESIGNED FOR APPLICATIONS THAT REQUIRE A DURABLE, NON-LINTING AND ABRASION RESISTANT SORBENT!

- Absorbs oil and petroleum based liquids.
- 3-ply construction adds strength and durability.
- Spunbond outer layers make the product stronger for longer use and improved abrasion resistance.
- Ideal for use in areas with moderate foot traffic.
- Perforated for ease of use and less waste.



| Order Reference | Article No. | Description   | Total Qty/Pack            | Absorption Capacity (Ltrs) |
|-----------------|-------------|---|---------------------------|----------------------------|
| SXT315-P-E      | 813748      | ROLL, 38 cm x 46 m, Medium weight, perforated & bonded        | 1 Roll(s) / Dispenser Box | 70                         |
| SXT330-DP-E     | 813749      | ROLL, 76 cm x 46 m, Medium weight, double perforated & bonded | 1 Roll(s) / Box           | 141                        |



For use on a workbench...



...or an ideal "wipe-down" sorbent! Soft but durable outer cover makes it ideal for wiping down tools or machine parts.

## SXT - EXTRA-TOUGH OIL ONLY PADS. THE IDEAL SORBENT WHEN DURABILITY OR ABRASION-RESISTANCE IS REQUIRED.

- Absorbs oil & petroleum based liquids.
- Durable coverstock provides extra strength and lasts longer.
- Low-linting - makes SXT ideal as a "wipe down" sorbent by eliminating loose fibres.
- Soft & pliable sorbent makes it easy to use.
- Perforated pads - use only what you need for smaller spills in order to minimise waste.



| Order Reference | Article No. | Description   | Total Qty/Pack   | Absorption Capacity (Ltrs) |
|-----------------|-------------|---|------------------|----------------------------|
| SXT200-E        | 813730      | PADS, 41 cm x 51 cm, Light weight, perforated & bonded  | 200 Pad(s) / Box | 136                        |
| SXT300-E        | 813731      | PADS, 41 cm x 51 cm, Medium weight, perforated & bonded | 100 Pad(s) / Box | 84                         |



## OIL ONLY DRUM TOP COVERS - KEEP YOUR DRUM TOPS NEAT & CLEAN.

- Absorb oil & petroleum based liquids.
- Create a clean and safe work floor by preventing pump drips from reaching the floor.
- Pre-cut holes for 205 litre drums.



**Problem:**  
Puddles and dirty rags on top of the drum.



**Solution:**  
Drum top covers on top of the drum.  
No more messy pump drips or dirty rags.

## SF MICRO FIBRES - SPECIALLY DESIGNED FOR FILTERING OIL FROM WATER AND MOIST AIR.

- High absorbency: up to 15 times its own weight.
- Allows for filtration with minimal flow rate.
- No additional pressure needed to force the oily liquid through.
- Fibres can be used in any size or shaped container in which they are placed.
- Numerous applications such as pre-filters for compressors, paint filtration, water filtration, etc



Filtering of waste water before discharging into water discharge area.



Cartridges for use in filter fences.

| Order Reference | Article No. | Description                       | Quantity    | Absorption Capacity (Ltrs) |
|-----------------|-------------|-----------------------------------|-------------|----------------------------|
| PSF10           | 134430      | Filtration 13cm dia x 1m Booms    | 10 Piece(s) | 139                        |
| SF1             | 813796      | Micro fibres, loose, 50 kg / Case | 1 Box       | 868                        |


# SPC Bilge Booms - Oil Only Socs - Oil Only Pillows

## SPC BILGE BOOMS - KEEP YOUR SUMPS, TANKS, DRAINS OR BILGES OIL-FREE.



Attach a rope for easy deployment & retrieval.

- Absorb oil & petroleum based liquids - but repel water.
- Float even after saturation.
- Strong outer sleeve for more durability.
- Linkable - attach a rope to the rings or loops for easy deployment into sump area.



SPC818-E

SPC518

SPC10

| Order Reference | Article No. | Description                                  | Total Qty/Pack    | Absorption Capacity (Ltrs) |
|-----------------|-------------|--|-------------------|----------------------------|
| SPC818-E        | 813773      | BILGE BOOM, Ø 20 cm x 45 cm, Heavy weight    | 10 Piece(s) / Bag | 131                        |
| SPC518          | 813774      | BILGE BOOM, Ø 13 cm x 45 cm, Standard weight | 10 Piece(s) / Box | 46                         |
| SPC10           | 813783      | PILLOW, 36 cm x 64 cm                        | 10 Piece(s) / Bag | 197                        |

## OIL ONLY Socs - THE IDEAL SORBENT FOR ABSORBING LEAKS AND SPILLS AROUND MACHINES.



### Problem:

Leaks and drips create a slippery work floor.



### Solution:

SOCs quickly soak up leaks and drips for a clean and safe workplace.



- Absorb oil & petroleum based liquids while repelling water.
- Various lengths - allowing the right size for your application.
- Strong wicking action: absorption begins instantly after contact with the spilled liquid, no need to turn the soc.
- Flexible design allows the soc to fit around any machine, corner or curve.
- **FLEXISOC:** The ultimate soc for flexibility! Cut the soc into the length you want and re-clip.

| Order Reference | Article No. | Description                          | Total Qty/Pack    | Absorption Capacity (Ltrs) |
|-----------------|-------------|--------------------------------------|-------------------|----------------------------|
| OIL430          | 813775      | SOC, Ø 7.6 cm x 122 cm               | 30 Piece(s) / Box | 106                        |
| OIL412          | 813776      | SOC, Ø 7.6 cm x 122 cm               | 12 Piece(s) / Box | 43                         |
| OIL806          | 813777      | SOC, Ø 7.6 cm x 244 cm               | 6 Piece(s) / Box  | 43                         |
| OIL124          | 813778      | SOC, Ø 7.6 cm x 366 cm               | 4 Piece(s) / Box  | 43                         |
| OIL561          | 813779      | FLEXISOC, Ø 7.6 cm x 17 m & 30 Clips | 1 Piece(s) / Box  | 49                         |

## OIL ONLY PILLOWS - IDEAL FOR ABSORBING SPILLS AND LEAKING FLUIDS IN TIGHT SPACES AND UNDER PERSISTENT DRIP SOURCES.



- Absorb oil & petroleum based liquids.
- 2 different sizes to fit any application and/or spill.



| Order Reference | Article No. | Description           | Total Qty/Pack    | Absorption Capacity (Ltrs) |
|-----------------|-------------|-----------------------|-------------------|----------------------------|
| OIL1818         | 813780      | PILLOW, 43 cm x 48 cm | 16 Piece(s) / Box | 105                        |
| OIL1818-2       | 813781      | PILLOW, 43 cm x 48 cm | 8 Piece(s) / Box  | 53                         |
| OIL99           | 813782      | PILLOW, 23 cm x 23 cm | 32 Piece(s) / Box | 58                         |





# Marine

## High Absorbency On The Water

### Marine

SPC marine specialty absorbents are designed to float on water and contain or absorb a wide variety of marine fuels and oils. From containment to booming and skimming operations, these absorbents will soak up unwanted fluids on lakes, rivers, streams and coastal shorelines. Marine absorbent products are made for high absorbency and rapid deployment in demanding emergency situations.

### The Technology:

SPC absorbent booms are constructed of highly absorbent polypropylene fibres encased in a durable skin that is lined with a heavy duty tow rope. The booms are fastened with three stainless steel connectors on each end to link booms together for fast retrieval. This is extremely important when towing heavy booms are saturated with oil.

### Recommended For:


- Marinas
- On Boats & ships
- Loading docks
- Affluent pipes
- Outdoor liquid transfer points
- Fuel storage tanks



## ENV - OUR MOST BASIC OIL ONLY ROLLS. IDEAL FOR MARINE APPLICATIONS.



- Absorbs oil & petroleum based liquids.
- Stronger more durable product with a superior finish - looks better and performs better!



| Order Reference | Article No. | Description                      | Total Qty/Pack  | Absorption Capacity (Ltrs) |
|-----------------|-------------|----------------------------------|-----------------|----------------------------|
| ENV150-E        | 813761      | ROLL, 96 cm x 44 m, Heavy weight | 1 Roll(s) / Bag | 274                        |
| ENV152-E        | 813762      | ROLL, 48 cm x 44 m, Heavy weight | 2 Roll(s) / Bag | 274                        |

## SPC HEAVY WEIGHT OIL SORBENT BOOMS - A PREMIUM BOOM TO ABSORB AND CONTAIN OIL SPILLS ON WATER.



Multiple booms form barrier to surround & control the spill.



Metal clips to link booms.



Four staple clips for durability.

- Repel water while absorbing oil and petroleum based liquids.
- Increased performance for SPC810-E & SPC816-E booms thanks to additional fill (higher absorption capacity) and larger diameter (greater surface area).
- Float indefinitely even after saturation.
- Strong outer sleeve for durability.
- Inner rope provides strength when deploying & retrieving booms.
- Inner sleeve keeps the absorbent material intact within the booms.
- 4 staple clips at critical stress area add strength and prevent booms from splitting during retrieval.
- Metal clips & rings allow for easy linking of booms.

| Order Reference | Article No. | Description                                      | Total Qty/Pack   | Absorption Capacity (Ltrs) |
|-----------------|-------------|--|------------------|----------------------------|
| SPC810-E        | 813767      | BOOM, Ø 20 cm x 3 m, Heavy weight (21 kg/bale)   | 4 Piece(s) / Bag | 316                        |
| SPC816-E        | 813768      | BOOM, Ø 20 cm x 5 m, Heavy weight (18.2 kg/bale) | 2 Piece(s) / Bag | 228                        |
| SPC510          | 813769      | BOOM, Ø 13 cm x 3 m, Standard weight             | 4 Piece(s) / Bag | 119                        |
| SPC516          | 813770      | BOOM, Ø 13 cm x 5 m, Standard weight             | 2 Piece(s) / Bag | 98                         |

## ENV OIL SORBENT BOOMS - THE ECONOMICAL ALTERNATIVE.

| Order Reference | Article No. | Description   | Total Qty/Pack    | Absorption Capacity (Ltrs) |
|-----------------|-------------|---|-------------------|----------------------------|
| ENV810          | 813771      | BOOM, Ø 18 cm x 3 m, Standard weight (17.2 kg/bale) | 4 Piece(s) / Bale | 259                        |
| ENV510          | 813772      | BOOM, Ø 13 cm x 3 m, Standard weight (8.2 kg/bale)  | 4 Piece(s) / Bale | 119                        |



Blue outer sleeve filled with a mixture of white and coloured oil only fill.

## SPC RESPONSE BOOMS - FOR THE CONTAINMENT OF OIL SPILLS ON WATER.

### SPC Mini Boom - THE IDEAL SOLUTION FOR OIL SPILLS IN CALM WATER AREAS.

- Portable and easy to deploy by 1 person.
- Light weight - ideal for remote and difficult to reach areas.
- Requires minimum storage space.
- A great solution for fire brigades, first responders, water and road transport companies.
- Encapsulated chain provides stability.
- PVC coated material for greater durability.
- Quick and easy to assemble for a quick response to spills in small streams and canals.
- Optional PVC carry bag to protect the boom during storage and to facilitate transport.



| Order Reference | Article No. | Description  | Quantity |
|-----------------|-------------|--|----------|
| SPCMB-0525      | 813803      | MINI BOOM, overall height 20 cm (7.5 cm Float - 12.5 cm Skirt) | 1 Piece  |
| SPCMB-BAG       | 813804      | CARRY BAG for SPC Mini Boom (Holds 1 Mini Boom)                | 1 Piece  |



### SPC Junior Boom - AN ABRASION AND WEATHER RESISTANT CONTAINMENT BOOM FOR REPEATED USE.

- Great for calm and protected waters with light currents.
- Aluminum ASTM connectors for linking multiple sections.
- Encapsulated chain provides extra strength and stability.
- Strap is used as a handle for carrying or adjusting the boom by hand.
- PVC coated material for greater durability.
- Requires a minimum of maintenance.
- Longer skirt and float for rougher waters.
- Popular boom in marinas and inland waterways.



| Order Reference | Article No. | Description   | Quantity |
|-----------------|-------------|---|----------|
| SPCJR-1210      | 813805      | JUNIOR BOOM, overall height 45 cm (15 cm Float - 30 cm Skirt) x 30 m length | 1 Piece  |
| SPCJR-1205      | 813806      | JUNIOR BOOM, overall height 45 cm (15 cm Float - 30 cm Skirt) x 15 m length | 1 Piece  |



## SPC SWEEP - DESIGNED TO PROVIDE A SWEEPING ACTION ACROSS THE WATER'S SURFACE TO REMOVE OIL.



- Abrasion resistant blue spunbond coverstock for extra strength and durability.
- Full length nylon strap allows sweep to be tied off to a boom or dragged behind a boat.
- Reinforced strap also allows linking of multiple sweeps and simplifies retrieval of the sweep once saturated.



Nylon strap adds strength.  
Ideal to drag behind a boat.

| Order Reference | Article No. | Description           | Total Qty/Pack    | Absorption Capacity (Ltrs) |
|-----------------|-------------|-----------------------|-------------------|----------------------------|
| SPC1900         | 813799      | SWEEP, 48 cm x 30.5 m | 1 Piece(s) / Bale | 94                         |

## SPC OIL NETS & DRAG NETS - THE IDEAL SORBENT TO REMOVE HEAVY OILS.



Easily retrieved.

- Ideal for heavy oils like bunker C, crude oil & oils no. 4, 5 & 6.
- High absorption: 20 to 60 times its own weight.
- Effective even in subfreezing conditions.
- Choose between Oil Nets, handy for cleaning rocks and pilings or Drag Nets to clean shore lines or to pull behind a boat.



| Order Reference | Article No. | Description                                   | Total Qty/Pack     | Absorption Capacity (Ltrs) |
|-----------------|-------------|---|--------------------|----------------------------|
| ON030           | 813800      | Individual OIL NETS                           | 30 Piece(s) / Bale | 57                         |
| ODN08           | 813801      | OIL DRAG NET, 30 nets attached to a 15 m rope | 1 Piece(s) / Bale  | 57                         |

## CANSORB - AN ALL ORGANIC OIL-ONLY PARTICULATE FOR OIL CLEAN UP ON LAND OR WATER.

- Made from high quality sphagnum peat moss.
- Absorbs quickly thanks to its fast wicking action.
- Encapsulates oil on contact.



| Order Reference | Article No. | Description         | Volume              | Total Qty/Pack | Absorption Capacity (Ltrs) |
|-----------------|-------------|---------------------|---------------------|----------------|----------------------------|
| CS-CB18         | 813802      | CANSORB, compressed | 0.05 <sup>3</sup> m | 1 Bag          | 67                         |





# Universal

## For Indoor Spill Control

### Universal Absorbency:

Use these all-purpose absorbents to clean-up oils, coolants, solvents and water-based fluids anywhere in your facility. Around machinery, under leaky pipes or fittings, in messy traffic areas, for general maintenance projects – they are your first choice for indoor spill control. Plus, their grey colour masks spills and stains – helping you resist the urge to pick up the absorbent before it is fully saturated.

### The Technology:







The technology or structure behind each of the universal products helps determine the strength and absorbency of each absorbent. This information along with the product's characteristics (grade, perforations, etc.) are what helps you decide which absorbent is best for your application.

### Common Liquids Absorbed:

- Coolants
- Solvents
- Oils
- Gasoline
- Vegetable oil
- Kerosene
- Latex paint
- And other water-based fluids


## UNIVERSAL ABSORBENT FAMILY:

All of these pads and rolls start with a highly absorbent polypropylene core - the difference is what happens from there. Features such as durability, absorbency grades and coverstock give you versatile absorbent options for your specific application.

|  | Applications  | Durability | Linting        | Absorbency Grades       | Construction   |
|--|---|------------|----------------|-------------------------|--|
| <b>GP</b><br><b>General Purpose</b><br><b>Absorbent Pads</b><br><b>&amp; Rolls</b><br>Page 23                                | Maintenance absorbent for general industrial applications                             | ✓✓         | Medium Linting | Medium and Light Weight |  <b>1-PLY</b><br>Meltblown Dimpled (optional) Perforated                              |
| <b>MRO Plus®</b><br><b>Absorbent</b><br><b>Pads &amp; Rolls</b><br>Page 23, 24   | Best for industrial applications where greater durability and lower linting is needed | ✓✓         | Medium Linting | Heavy & Medium Weight   |  <b>2-PLY</b><br>Meltblown + spunbound on 1 side, dimpled and (optional) perforated   |
| <b>UXT</b><br><b>Xtra Tough</b><br><b>Absorbent</b><br><b>Pads &amp; Rolls</b><br>Page 24                                    | Extra durable general purpose absorbent for wiping, drips, and leaks                  | ✓✓✓        | Low Linting    | Medium and Light Weight |  <b>3-PLY</b><br>Meltblown + spunbound on 2 sides, dimpled and perforated            |
| <b>HT</b><br><b>High Traffic</b><br><b>Absorbent</b><br><b>Rolls</b><br>Page 25  | Economical for foot traffic, walkways, and around work stations                       | ✓✓         | Medium Linting | Heavy Weight            |  <b>2-PLY</b><br>Meltblown + spunbound on 1 side, dimpled and (optional) perforated |
| <b>Battlemat®</b><br><b>Absorbent</b><br><b>Rolls</b><br>Page 33   | High wear resistance is ideal for heavy foot traffic, forklifts and walkways          | ✓✓✓        | Low Linting    | Heavy Weight            |  <b>2-PLY</b><br>Meltblown + spunbound on 1 side, dimpled and perforated (optional) |
| <b>Universal</b><br><b>Absorbent</b><br><b>Pads, Pillows,</b><br><b>Drum Top Covers</b><br><b>&amp; Rolls</b><br>Page 25, 26 | Value absorbent for general purpose wiping, drips or leaks                            |            |                |                         |   |



## GP - ECONOMICAL MAINTENANCE ROLLS FOR APPLICATIONS THAT REQUIRE HIGH ABSORBENCY AND LOW COST.




- Absorbs a variety of industrial liquids including oils, water, solvents, coolants, etc.
- GP rolls have a superior finish with less lint for improved abrasion resistance compared to traditional single ply rolls.
- Ideal roll to cover a larger surface area for a fast clean up of leaks and spills where low cost and high adsorbency are required.

| Order Reference | Article No. | Description  | Total Qty/Pack  | Absorption Capacity (Ltrs) |
|-----------------|-------------|--|-----------------|----------------------------|
| GP150-E         | 813826      | ROLL, 96 cm x 44 m, Medium weight, bonded              | 1 Roll(s) / Bag | 192                        |
| GP150-P-E       | 813827      | ROLL, 96 cm x 44 m, Medium weight, perforated & bonded | 1 Roll(s) / Bag | 192                        |
| GP152-P-E       | 813828      | ROLL, 48 cm x 44 m, Medium weight, perforated & bonded | 2 Roll(s) / Bag | 192                        |




## GP - ECONOMICAL GENERAL PURPOSE MAINTENANCE PADS MADE WITH SPC'S MAXX TECHNOLOGY! A PERFECT COMBINATION OF STRENGTH AND ABSORBENCY!




- Absorbs a variety of industrial liquids including oils, water, solvents, coolants, etc.
- Highly absorbent, GP MAXX pads adsorb up to 18 times their weight !
- Thanks to the high absorbency of our MAXX technology, less material is needed to absorb more liquid and so you pay less for disposal!
- GP MAXX pads have a smooth surface finish with less lint than traditional single ply pads – looks better and performs better!
- Packed in boxes for easy handling and storage.
- Ideal for industrial applications where low cost and high absorbency are required.

| Order Reference | Article No. | Description  | Total Qty/Pack   | Absorption Capacity (Ltrs) |
|-----------------|-------------|--|------------------|----------------------------|
| GP100-M         | 813812      | MAXX PADS, 41 cm x 51 cm, Medium weight, perforated & bonded | 100 Pad(s) / Box | 95                         |
| GP200-M         | 813813      | MAXX PADS, 41 cm x 51 cm, Light weight, perforated & bonded  | 200 Pad(s) / Box | 166                        |



Use pro-actively to catch leaks and drips.

## MRO PLUS - OUR MOST POPULAR MAINTENANCE ROLLS FOR GENERAL INDUSTRIAL USE!



- Absorbs a variety of industrial liquids including oils, water, solvents and coolants.
- One-sided spunbond gives extra strength as well as lower lint.
- A high quality maintenance sorbent for applications where a combination of adsorption and added strength is required.
- Available with perforations for ease of use and to minimise waste.
- Choose from a wide variety of sizes for your application including a handy dispenser box.



A good general use sorbent to fit around machines to absorb overspray.

| Order Reference | Article No. | Description  | Total Qty/Pack            | Absorption Capacity (Ltrs) |
|-----------------|-------------|--|---------------------------|----------------------------|
| MRO15-E         | 813817      | ROLL, 38 cm x 46 m, Heavy weight, bonded                                 | 1 Roll(s) / Dispenser box | 92                         |
| MRO15-P-E       | 813818      | ROLL, 38 cm x 46 m, Heavy weight, perforated & bonded                    | 1 Roll(s) / Dispenser box | 92                         |
| MRO15-DP-E      | 813819      | ROLL, 38 cm x 46 m, Heavy weight, double perforated & bonded             | 1 Roll(s) / Dispenser box | 92                         |
| MRO15-DPS-E     | 813820      | ROLL, 38 cm x 22 m, Heavy weight, double perforated & bonded             | 1 Roll(s) / Dispenser box | 45                         |
| MRO315-P-E      | 813821      | ROLL, 38 cm x 46 m, Medium weight, perforated & bonded                   | 1 Roll(s) / Dispenser box | 73                         |
| MRO30-E         | 813822      | ROLL, 76 cm x 46 m, Heavy weight, bonded                                 | 1 Roll(s) / Box           | 185                        |
| MRO30-P-E       | 813823      | ROLL MAINTENANCE, 76 cm x 46 m, Heavy weight, perforated & bonded        | 1 Roll(s) / Box           | 185                        |
| MRO30-DP-E      | 813824      | ROLL, 76 cm x 46 m, Heavy weight, double perforated & bonded             | 1 Roll(s) / Box           | 185                        |
| MRO330-DP-E     | 813825      | ROLL, 76 cm x 46 m, Medium weight, double perforated & bonded            | 1 Roll(s) / Box           | 147                        |
| MRO365-P        | 834176      | ROLL, 19 cm x 15 m, Heavy weight, perforated & bonded (60 pads per roll) | 1 Roll(s) / Bag           | 15                         |






MRO pads under leaking seals & faucets. Ideal to catch small drips.



**Dispense & Dispose system:**  
Dispenser box for easy access to the product & disposal bags and box to ensure proper disposal of waste.

## MRO PLUS - OUR MOST POPULAR MAINTENANCE PADS. PERFECT FOR GENERAL INDUSTRIAL MAINTENANCE OR SPILL CLEAN UP.

- Absorbs a variety of industrial liquids including oils, water, solvents, coolants, etc.
- One-sided spunbond gives extra strength as well as lower lint.
- Ideal sorbent for dealing with leaks and drips in the workplace.
- Perforated to help you minimise waste and lower your disposal costs.
- Available with SPC's unique "Dispense & Dispose" system for added convenience and lower cost per pad!




| Order Reference | Article No. | Description   | Total Qty/Pack             | Absorption Capacity (Ltrs) |
|-----------------|-------------|---|----------------------------|----------------------------|
| MRO200-E        | 138588      | PADS, 41 cm x 51 cm, Light weight, perforated & bonded                            | 200 Pad(s) / Box           | 149                        |
| MRO100-E        | 813809      | PADS, 41 cm x 51 cm, Heavy weight, perforated & bonded                            | 100 Pad(s) / Box           | 112                        |
| MRO150-DND-E    | 813811      | PADS, 41 cm x 51 cm, Heavy weight, perforated & bonded, Dispense & Dispose System | 150 Pad(s) / Dispenser box | 168                        |

**i** Black disposal bags, capacity 151 litres, can be ordered separately. Order Reference: BAG-150DND

## UXT - EXTRA TOUGH MAINTENANCE ROLLS FOR APPLICATIONS THAT REQUIRE A DURABLE, NON-LINTING AND ABRASION RESISTANT SORBENT!



- Absorbs a variety of liquids including oils.
- 3-ply construction adds strength and durability.
- Spunbond outer layers make the product stronger for longer use and improved abrasion resistance.
- Non-linting spunbond eliminates loose fibres and makes the product stronger and abrasion resistant.
- Ideal for use in areas with moderate foot traffic.
- Perforated to permit the use of precisely the right amount of material to reduce waste.




| Order Reference | Article No. | Description   | Total Qty/Pack            | Absorption Capacity (Ltrs) |
|-----------------|-------------|---|---------------------------|----------------------------|
| UXT315-P-E      | 813815      | ROLL, 38 cm x 46 m, Medium weight, perforated & bonded        | 1 Roll(s) / Dispenser box | 70                         |
| UXT330-DP-E     | 813816      | ROLL, 76 cm x 46 m, Medium weight, double perforated & bonded | 1 Roll(s) / Box           | 141                        |

## UXT - EXTRA-TOUGH MAINTENANCE PADS. THE IDEAL SORBENT FOR INDUSTRIAL APPLICATIONS THAT REQUIRE DURABILITY OR ABRASION-RESISTANCE.



An ideal sorbent for cleaning rough machine parts without leaving residue.


- Absorbs a variety of industrial liquids including oils, water, solvents, coolants, etc.
- Durable spunbond provides extra strength and fosters longer use.
- Low-linting: makes UXT ideal as a "wipe down" sorbent by eliminating loose fibres.
- Soft & pliable sorbent makes it user-friendly.
- Perforated pads - use only what you need in order to minimise waste.



| Order Reference | Article No. | Description   | Total Qty/Pack   | Absorption Capacity (Ltrs) |
|-----------------|-------------|---|------------------|----------------------------|
| UXT200-E        | 813807      | PADS, 41 cm x 51 cm, Light weight, perforated & bonded  | 200 Pad(s) / Box | 136                        |
| UXT300-E        | 813808      | PADS, 41 cm x 51 cm, Medium weight, perforated & bonded | 100 Pad(s) / Box | 95                         |

## HT - THE MULTI-USE MAINTENANCE PRODUCT: USE IT AS A PAD, WIPE, ROLL, PILLOW OR SOC!

- Absorbs a variety of liquids: water, oils, coolants, solvents, ...
- Convenient dispenser box for easy access to the product.
- Multiple perforations - always the right size in order to minimise waste.
- Multi-ply construction for durability, good absorption and low lint on one side.



| Order Reference | Article No. | Description  | Total Qty/Pack            | Absorption Capacity (Ltrs) |
|-----------------|-------------|--|---------------------------|----------------------------|
| HT555-E         | 813836      | ROLL, 38 cm x 46 m, Heavy weight, bonded & multiple perforations | 1 Roll(s) / Dispenser box | 92                         |
| HT777-E         | 813837      | ROLL, 76 cm x 46 m, Heavy weight, bonded & multiple perforations | 1 Roll(s) / Box           | 185                        |


## 5 in 1



As a WIPE



As a PILLOW



As a PAD



As a ROLL



As a SOC

## ALLWIK PILLOWS - ABSORB SPILLS AND LEAKING FLUIDS IN TIGHT SPACES AND UNDER PERSISTENT DRIP SOURCES.



Ideal under machines or in tight spaces.

- Absorbs a variety of liquids including water, coolants, solvents, oils, antifreeze, etc
- 2 different sizes to fit any application.




| Order Reference | Article No. | Description           | Total Qty/Pack    | Absorption Capacity (Ltrs) |
|-----------------|-------------|-----------------------|-------------------|----------------------------|
| AW1818          | 813792      | PILLOW, 43 cm x 48 cm | 16 Piece(s) / Box | 105                        |
| AW1818-2        | 813793      | PILLOW, 43 cm x 48 cm | 8 Piece(s) / Box  | 53                         |
| AW99            | 813794      | PILLOW, 23 cm x 23 cm | 32 Piece(s) / Box | 58                         |

## ALLWIK DRUM TOP COVERS - KEEP YOUR DRUM TOPS NEAT & CLEAN.



No more pump drips sliding down the side of the drum and onto the floor.



Pre-cut holes for easy fit.

- Absorbs a wide range of industrial liquids like water, coolants, solvents, oils, antifreeze, etc.
- Create a clean and safe work floor by preventing pump drips from reaching the floor.
- Pre-cut for perfect fit on 205 litre drums.



| Order Reference | Article No. | Description             | Total Qty/Pack    | Absorption Capacity (Ltrs) |
|-----------------|-------------|-------------------------|-------------------|----------------------------|
| DTA25           | 813795      | Drum Top Cover, Ø 56 cm | 25 Piece(s) / Box | 26                         |



## SLIKWIK WIPES - PERFECT FOR CLEANING TOOLS, MACHINE PARTS OR SMALL DRIPS.

- Chemical resistant for use with oil, water, solvents or even acids.
- Lower cost per wipe compared to reusable wipes. No extra laundering cost.
- One time use eliminates risk of contamination from previous users, metal chips, hazardous chemicals etc – a potential problem with recycled wipes.
- Absorbent microstructure retains solvent based cleaners, reducing consumption of expensive cleaners when compared to cotton or paper wipes.

| Order Reference | Article No. | Description                                      | Total Qty/Pack     | Absorption Capacity (Ltrs) |
|-----------------|-------------|--|--------------------|----------------------------|
| SW1200          | 813814      | WIPE, 30 cm x 38 cm, 10 packs of 50 folded wipes | 500 Piece(s) / Box | 38                         |



## FLEXISOC - THE ULTIMATE SOC FOR FLEXIBILITY!

- Absorbs a variety of industrial liquids.
- User-friendly: Cut the soc into the length you desire and re-clip.
- Cost savings: No need to stock multiple lengths - you can use one soc for all applications.

| Order Reference | Article No. | Description                          | Total Qty/Pack   | Absorption Capacity (Ltrs) |
|-----------------|-------------|--------------------------------------|------------------|----------------------------|
| AW561           | 813787      | FLEXISOC, Ø 7.6 cm x 17 m + 30 Clips | 1 Piece(s) / Box | 53                         |



Great around machines - keeps the work floor clean and safe.

## ALLWIK-SOC'S - ABSORBING LEAKS AND SPILLS AROUND MACHINES.

- Absorbs a variety of industrial liquids including aggressive chemicals.
- Different lengths in order to always have the right size for your application.
- Flexible design allows the soc to fit around any machine, corner or curve.
- Filled with universal meltblown polypropylene.

| Order Reference | Article No. | Description            | Total Qty/Pack    | Absorption Capacity (Ltrs) |
|-----------------|-------------|------------------------|-------------------|----------------------------|
| AW430           | 813788      | SOC, Ø 7.6 cm x 122 cm | 30 Piece(s) / Box | 113                        |
| AW412           | 813789      | SOC, Ø 7.6 cm x 122 cm | 12 Piece(s) / Box | 45                         |
| AW806           | 813790      | SOC, Ø 7.6 cm x 244 cm | 6 Piece(s) / Box  | 45                         |
| AW124           | 813791      | SOC, Ø 7.6 cm x 366 cm | 4 Piece(s) / Box  | 45                         |







# Chemical

## Colour Coded For Safety

### Chemical Absorbency

Alert your employees to the presence of hazardous fluids with green and yellow chemical absorbents from SPC. These surfactant-treated polypropylene pads and rolls can be used on a wide range of chemicals, including hydrofluoric acid and are chemically inert, so they will not react with aggressive fluids.

### The Technology:




The technology or structure behind each of the chemical products helps determine the strength and absorbency of each absorbent. This information along with the product's characteristics (grade, perforations, etc.) are what helps you decide which absorbent is best for your application.

### Common Liquids Absorbed:

- Acids and bases
- Aggressive chemicals
- Oils
- Solvents
- Citric acid
- Water-based fluids
- Sodium hydroxide
- And other unknown chemicals

## CHEMICAL ABSORBENT FAMILY:

All of these pads and rolls start with a highly absorbent polypropylene core - the difference is what happens from there. Features such as durability, absorbency grades and coverstock give you versatile absorbent options for your specific application.

|   | Applications  | Durability | Linting        | Absorbency Grades | Construction  |
|---|---|------------|----------------|-------------------|---|
| <b>High Visibility Safety &amp; Chemical Mat</b><br>Page 28 | Applications with higher risk of slips, trips and falls. Foot traffic areas.            | ✓✓✓        | Low Linting    | Medium Weight     | <br><b>3-PLY</b><br>Meltblown + spunbound on 2 sides, dimpled and perforated           |
| <b>Universal® Plus Pads &amp; Rolls</b><br>Page 29          | For industrial applications where greater durability is needed with hazardous chemicals | ✓✓         | Medium Linting | Medium Weight     | <br><b>2-PLY</b><br>Meltblown + spunbound on 1 side, dimpled and (optional) perforated |
| <b>Hazwik Socs &amp; Pillows</b><br>Page 30                 | To prevent spills from spreading, to absorb spills & leaks liquids in tight spaces      |            |                |                   |    |

### **i** Increase Safety and Save: Colour Coded Waste Stream

Save on disposal costs by using different coloured absorbents in specific parts of your facility and throughout your waste streams.

**For example:** a facility might use yellow absorbents in radioactive areas and green absorbents in their chlorine areas. Then the facility would use grey universal absorbents for the rest of their facility. A colour coded system benefits your employees' understanding of the waste stream because they will assume yellow absorbents are saturated with radioactive waste and green absorbents are saturated with chlorine.



## HIGH VISIBILITY SAFETY & CHEMICAL MAT

- Sign and absorbent all in one.
- High visibility, safety mat for all purpose fluid pick-up and hazardous chemical.
- Colour-coded yellow for safety and easy separation of hazardous waste
- 3-ply SMM construction (spunbound coverstock 2 layers meltblown polypropylene)
- Product will not react with aggressive fluids



| Order Reference | Article No. | Description   | Perforated                        | Total Qty/Pack   | Absorption Capacity (Ltrs) |
|-----------------|-------------|---|-----------------------------------|------------------|----------------------------|
| <b>Pad</b>      |             |   |                                   |                  |                            |
| CH100           | 107688      | High visibility safety mat, 38 cm x 48 cm   |                                   | 100 Pad(s) / Box | 114                        |
| CH200           | 134818      | High visibility safety mat, 38 cm x 48 cm   |                                   | 200 Pad(s) / Box | 144                        |
| <b>Roll</b>     |             |   |                                   |                  |                            |
| CH15P           | 107690      | Safety mat, 38 cm x 46 m, medium weight, perforated & bonded                        | Every 46 cm                       | 1 Roll(s) / Bag  | 114                        |
| CH30DP          | 107691      | Safety mat, 76 cm x 46 m, medium weight, double perforated & bonded                 | Every 38 cm and up centre of roll | 1 Roll(s) / Bag  | 151                        |
| CH303           | 134360      | High visibility safety mat, 76 cm x 92 m, medium weight, double perforated & bonded | Every 38 cm and up centre of roll | 1 Roll(s) / Bag  | 239                        |

### **i** RECOMMENDED APPLICATIONS


- For use where hazardous chemicals and acids are involved
- Nuclear power facilities
- Chemical spill response units
- Laboratories and hospitals
- Any industrial application utilising aggressive fluids
- Foot traffic areas or where extra durability is needed



## UN PADS & ROLLS -

### FOR USE WHEN CHEMICALS AND HAZARDOUS LIQUIDS ARE INVOLVED!

- Absorb a wide range of chemicals, including acids and caustics.
- One-sided spunbond gives extra strength as well as lower lint.
- Chemically inert: product does not degrade or cause a dangerous chemical reaction with the adsorbed liquid.
- Green colour alerts workers that product is being used for hazardous liquids.
- Green colour also allows the user to identify and separate hazardous waste for disposal, resulting in lower disposal costs.
- Perforated for flexibility – tear at the perforations for smaller sized pads to use only what you need.



**2-PLY**  
Meltblown + spunbond on  
1 side, dimpled and  
(optional) perforated



Perfect to clean up chemical spills...



... or for use in laboratories.

## PADS

| Order Reference | Article No. | Description  | Total Qty/Pack             | Absorption Capacity (Ltrs) |
|-----------------|-------------|--|----------------------------|----------------------------|
| UN100-E         | 813842      | PADS, 41 cm x 51 cm, Medium weight, perforated & bonded                | 100 Pad(s) / Box           | 88                         |
| UN1212-E        | 813843      | PAD, Medium weight, bonded 30 cm x 30 cm, 50 pads/Bag, 4 Bags/disp.box | 200 Pad(s) / Dispenser Box | 76                         |

## ROLLS

| Order Reference | Article No. | Description  | Total Qty/Pack            | Absorption Capacity (Ltrs) |
|-----------------|-------------|--|---------------------------|----------------------------|
| UN15-2DP-E      | 813844      | ROLL, Medium weight, double perforated & bonded 38 cm x 46 m | 2 Roll(s) / Box           | 147                        |
| UN15-DP-E       | 813845      | ROLL, Medium weight, double perforated & bonded 38 cm x 46 m | 1 Roll(s) / Dispenser box | 73                         |
| UN15-DPS-E      | 813846      | ROLL, Medium weight, double perforated & bonded 38 cm x 22 m | 1 Roll(s) / Dispenser box | 35                         |
| UN30-DP-E       | 813847      | ROLL, Medium weight, double perforated & bonded 76 cm x 46 m | 1 Roll(s) / Box           | 147                        |
| UN365-P         | 834177      | ROLL, 19 cm x 15 m Perforated, 60 pads per roll              | 1 Roll(s) / Bag           | 12                         |



## UN Booms - THE BEST WAY TO ABSORB AND CONTAIN LARGE SPILLS OF CHEMICALS AND HAZARDOUS LIQUIDS.

- Absorb chemicals, acids & bases as well as oils and water-based liquids.
- Metal clips & rings allow for easy linking of booms.
- Inner rope secured with four clips provides strength.
- Strong outer sleeve for durability.
- Inner sleeve keeps the adsorbent material intact within the boom.

| Order Reference | Article No. | Description         | Total Qty/Pack    | Absorption Capacity (Ltrs) |
|-----------------|-------------|---------------------|-------------------|----------------------------|
| UN810           | 813848      | Boom, Ø 20 cm x 3 m | 4 Piece(s) / Bale | 263                        |
| UN510           | 813849      | Boom, Ø 13 cm x 3 m | 4 Piece(s) / Bale | 118                        |



## HAZWIK Socs - CONFINE & PREVENT HAZARDOUS SPILLS FROM SPREADING.



- Absorb chemicals, acids & bases.
- Different lengths available to always have the right size for your application.
- Flexible design is easily moulded around machines and spills.



Fast containment of chemical spills.

| Order Reference | Article No. | Description            | Total Qty/Pack    | Absorption Capacity (Ltrs) |
|-----------------|-------------|------------------------|-------------------|----------------------------|
| HAZ412          | 813850      | Soc, Ø 7.6 cm x 122 cm | 12 Piece(s) / Box | 45                         |
| HAZ806          | 813851      | Soc, Ø 7.6 cm x 244 cm | 6 Piece(s) / Box  | 48                         |
| HAZ124          | 813852      | Soc, Ø 7.6 cm x 366 cm | 4 Piece(s) / Box  | 45                         |

## HAZWIK PILLOWS - FOR ABSORBING SPILLS & LEAKING LIQUIDS IN TIGHT SPACES.



Protection of fragile liquids during transport.

- Absorb chemicals, acids & bases.
- Good for large spills once contained.
- Ideal for use in packaging for extra protection during transport.
- 2 different sizes to fit any application.



| Order Reference | Article No. | Description           | Total Qty/Pack    | Absorption Capacity (Ltrs) |
|-----------------|-------------|-----------------------|-------------------|----------------------------|
| HAZ1818         | 813853      | Pillow, 43 cm x 48 cm | 16 Piece(s) / Box | 105                        |
| HAZ1818-2       | 813854      | Pillow, 43 cm x 48 cm | 8 Piece(s) / Box  | 53                         |
| HAZ99           | 813855      | Pillow, 23 cm x 23 cm | 32 Piece(s) / Box | 58                         |



# Mats & Rugs

## Clean, Dry Floors Prevent Slips, Trips & Falls

### Mats & Rugs

SPC absorbent mats and rugs keep aisles and walkways slip-free by absorbing and containing oils, liquids or other spills. They are designed to hold up in your toughest applications and are ideal for high traffics areas and workstations. Compared to an entrance mat, absorbent mats and rugs offer better traction, reduce slipperiness and keep liquids from being tracked from one area to the next.

### The Technology

SPC absorbent mats and rugs are constructed from durable, needle punched, polypropylene fibres - a more durable manufacturing process with a larger fibre diameter than meltblown fibres. This technology means that fibres or absorbent materials will not come loose around high traffic areas or workstations.

### Common Liquids Absorbed:

- Bases
- Oils
- Chemicals
- Solvents
- Water-based fluids



## MATS & RUGS ABSORBENT FAMILY:

All of these mats and rugs start with a highly absorbent core - the difference is what happens from there. Features such as durability, absorbency grades and construction give you versatile absorbent options for your specific application. Use the table below to help you choose the appropriate mat or rug for your applications.

|  | Applications  | Durability | Linting     | Absorbency Grades | Construction   |
|--|---|------------|-------------|-------------------|--|
| <b>TrackMat Absorbent Rolls</b><br>Page 34         | The ultimate oil <b>only barrier</b> mat for high volume spills. Ideal for all high traffic applications indoors or outdoors. | ✓✓✓        | Low Linting | Heavy Weight      | 3-ply construction with UV-resistant top layer and highly absorbent polypropylene core |
| <b>BSM Barrier Spill Matting Rolls</b><br>Page 33  | Universal barrier backed for heavy foot or forklift traffic in aisles and walkways. Excellent wear resistance.                | ✓✓✓        | Low Linting | Medium Weight     | Needle-punched polypropylene and non-stick backing                                     |
| <b>SIR Sorbent Industrial Rug Rolls</b><br>Page 34 | Universal economical rug for use in high traffic areas including aisles and walkways.   | ✓✓✓        | Low Linting | Heavy Weight      | Needle-punched polypropylene   |
| <b>Comfort Spill Mat</b><br>Page 33                | Combination of an absorbent matting fitting inside an anti-fatigue mat.   | ✓✓         | Low Linting | Heavy Weight      | 2-ply SM construction  |
| <b>High Visibility Safety Mat</b><br>Page 34       | Applications with higher risk of slips, trips and falls. Foot traffic areas.  | ✓✓✓        | Low Linting | Medium Weight     | 3-ply SMM construction (spunbound coverstock 2 layers meltblown polypropylene)         |



## COMFORT SPILL MAT - THE ABSORBING ANTI-FATIGUE MAT!

The Comfort Spill Mats from SPC are a combination of an absorbent matting fitting inside an anti-fatigue mat.

- Design provides buoyancy for basic fatigue relief.
- Silicone free allowing it to be used in vehicle painting facilities.
- High quality nitrile rubber makes the mat oil resistant.
- Rough surface allows sorbent to “grip” anti-fatigue mat.
- Allows you to keep workers safe while protecting the floor from oils and other industrial liquids.
- Available in an “Oil Only” version as well as a “Maintenance” version for use with general industrial liquids.



| Kits            |             |   |                |                            |  |
|-----------------|-------------|---|----------------|----------------------------|--|
| Order Reference | Article No. | Description   | Total Qty/Pack | Absorption Capacity (Ltrs) |  |
| SA-AFO          | 813829      | OIL ONLY KIT - incl. 1 perforated roll of 76 cm x 46 m & 1 anti-fatigue base mat of 82 cm x 152 cm    | 1 Kit          | 187                        |  |
| SA-AFA          | 813830      | MAINTENANCE KIT - incl. 1 perforated roll of 76 cm x 46 m & 1 anti-fatigue base mat of 82 cm x 152 cm | 1 Kit          | 187                        |  |

| Refills         |             |   |                 |                            |  |
|-----------------|-------------|---|-----------------|----------------------------|--|
| Order Reference | Article No. | Description   | Total Qty/Pack  | Absorption Capacity (Ltrs) |  |
| OP30-P-E        | 813755      | ROLL, 76 cm x 46 m, Heavy weight, perforated & bonded | 1 Roll(s) / Box | 187                        |  |
| MRO30-P-E       | 813823      | ROLL, 76 cm x 46 m, Heavy weight, perforated & bonded | 1 Roll(s) / Box | 185                        |  |

## BATTLEMAT - CAMOUFLAGE PATTERNED ROLLS. TOUGH COVER LAYER HIDES LEAKS AND DRIPS FOR LONGER USE, OFFERS SURE FOOTING AND IS IDEAL FOR AREAS WITH MODERATE FOOT TRAFFIC.

- Absorbs spills & leaks of any liquid: oils, coolants, water and solvents.
- Camouflage pattern hides dirt and reduces premature replacement.
- Durable abrasion resistant top layer stands up to moderate foot traffic.
- Ideal for use in walkways, production & machine areas, under assembly lines, etc.
- Perforations available for flexibility: easy to tear off the desired length, minimises waste.



| Order Reference | Article No. | Description  | Total Qty/Pack            | Absorption Capacity (Ltrs) |
|-----------------|-------------|--|---------------------------|----------------------------|
| BM15-E          | 813833      | ROLL, 38 cm x 46 m, Heavy weight, double perforated & bonded | 1 Roll(s) / Dispenser box | 99                         |
| BM30-E          | 813834      | ROLL, 76 cm x 46 m, Heavy weight, double perforated & bonded | 1 Roll(s) / Box           | 197                        |
| BM30X-E         | 813835      | ROLL, 76 cm x 46 m, Heavy weight, bonded                     | 1 Roll(s) / Box           | 197                        |



## BSM - Non-SLIP & IMPERMEABLE MATS. PERFECT FOR HIGH TRAFFIC AREAS AND WALKWAYS THAT NEED TO BE DRY, CLEAN AND SLIP-FREE.

- Non-slip, impermeable barrier film sticks the mat to the floor and prevents liquids from leaking through. For best results, clean the floor before use.
- Backing resists curling and buckling.
- Needle-punched polypropylene fibres make product tear resistant, ideal for use in high traffic areas.
- Absorbs oil, water and non-aggressive chemicals.
- Prevents unsightly tracking between areas.



| Order Reference | Article No. | Description  | Total Qty/Pack  | Absorption Capacity (Ltrs) |
|-----------------|-------------|--|-----------------|----------------------------|
| BSM3650         | 813838      | MAT, 91 cm x 15.25 m, Medium weight, barrier backing | 1 Roll(s) / Bag | 46                         |
| BSM100          | 813839      | MAT, 91 cm x 30.48 m, Medium weight, barrier backing | 1 Roll(s) / Bag | 95                         |



BSM creates a dry and slip free workplace.

## SIR - ROLLS DESIGNED FOR HIGH TRAFFIC AREAS AND WORKSTATIONS WHERE THERE'S A NEED FOR CLEAN AND SAFE WORK FLOORS AND WALKWAYS.



So tough forklifts can drive over it !

- Needle-punched polypropylene makes product tear resistant. Forklifts can drive over it without damaging it.
- Absorbs all liquids including aggressive chemicals.
- Grey colour masks stains and promotes longer use.
- Prevents liquid from being tracked from one area to another.



| Order Reference | Article No. | Description                          | Total Qty/Pack  | Absorption Capacity (Ltrs) |
|-----------------|-------------|--------------------------------------|-----------------|----------------------------|
| SIR36           | 813840      | RUG, 91 cm x 91.50 m, Medium weight  | 1 Roll(s) / Bag | 223                        |
| SIR72           | 813841      | RUG, 182 cm x 45.75 m, Medium weight | 1 Roll(s) / Bag | 223                        |

## TRACKMAT - OIL ONLY ROLLS FOR HIGH TRAFFIC AREAS THAT REQUIRE HIGH ABSORPTION AND OUTSTANDING DURABILITY.



- Absorbs oil & petroleum based liquids.
- Heavy duty top layer for maximum strength and durability, is ideal for heavy traffic.
- Non-slip backing keeps the mat in place.
- Barrier film limits liquids from penetrating to the floor.
- Grey colour masks drips and spills for longer use.
- UV resistant top layer makes it ideal for use indoors and outdoors.



Great for use outdoors thanks to UV resistant top layer.



Ideal underneath leaking transformers.



Trackmat eliminates unsightly stains.

| Order Reference | Article No. | Description  | Total Qty/Pack  | Absorption Capacity (Ltrs) |
|-----------------|-------------|--|-----------------|----------------------------|
| TM30            | 813747      | PADS, 74 cm x 74 cm, Heavy weight, bonded & barrier backing  | 30 Pad(s) / Bag | 95                         |
| TM58            | 813763      | MAT, 147 cm x 24.4 m, Heavy weight, bonded & barrier backing | 1 Roll(s) / Bag | 207                        |
| TM19            | 813764      | MAT, 48 cm x 24.4 m, Heavy weight, bonded & barrier backing  | 2 Roll(s) / Bag | 135                        |
| TM29            | 813765      | MAT, 74 cm x 24.4 m, Heavy weight, bonded & barrier backing  | 1 Roll(s) / Bag | 104                        |




## HIGH VISIBILITY SAFETY MAT

- For use where hazardous chemicals and acids are involved
- Nuclear power facilities
- Chemical spill response units
- Labs and hospitals
- Any industrial application utilising aggressive fluids
- Foot traffic areas or where extra durability is needed

| Order Reference | Article No. | Description   | Total Qty/Pack  | Absorption Capacity (Ltrs) |
|-----------------|-------------|---|-----------------|----------------------------|
| CH15P           | 107690      | Safety mat, 38 cm x 46 m, medium weight, perforated & bonded                        | 1 Roll(s) / Bag | 114                        |
| CH30DP          | 107691      | Safety mat, 76 cm x 46 m, medium weight, double perforated & bonded                 | 1 Roll(s) / Bag | 151                        |
| CH303           | 134360      | High visibility safety mat, 76 cm x 92 m, medium weight, double perforated & bonded | 1 Roll(s) / Bag | 239                        |





**Re-Form™**  
Eco-Friendly Sorbents

## Eco-Friendly and High Performance

### Re-Form™ Absorbents

Re-Form™ absorbents are made from a minimum of 80% recycled newsprint and other cellulose for Universal products, and 80% cotton and other cellulose fibres for oil only products. Plus, Re-Form™ absorbents offer greater absorbency, which means you'll have less waste and lower disposal costs.

### The Technology

The unique construction of Re-Form™ absorbent material offers superior absorbency. In fact, Re-Form absorbents have been tested to be 25-50% more absorbent than oil-based polypropylene absorbents, so you'll use less product to get the job done. Less waste makes this absorbent both green and lean!

### Cost Savings

Re-Form™ absorbents are typically less expensive than polypropylene absorbents which are oil-based and dependant upon volatile oil prices.

### Re-Form™ Universal Absorbents

Recommended For:

- Coolants
- Solvents
- Oils & Gasoline
- And other water-based fluids

### Re-Form™ Pro Plus Absorbents

Recommended For:

- Anywhere there is a leak, drip or spill
- Production/machine areas
- Under assembly lines or equipment
- Maintenance areas
- Liquid storage areas

### Re-Form™ Oil Only Absorbents

Recommended For:

- Grease
- Coolants & Transmission fluids
- And other petroleum-based fluids

Re-Form™ Absorbents are not intended for use with highly aggressive chemicals.





More and more companies are looking for “green” sorbents that save the environment without compromising quality and performance. In response to the increasing demand SPC introduced Re-Form™, a line of environmentally friendly sorbents made from a minimum of 70% recycled newsprint, cellulose or cotton. Re-Form™ sorbents offer high absorbency, strength, durability and help to reduce the company’s impact on the environment.

- **Green** – Made from natural ingredients - a renewable resource.
- **More absorbent** – 25-50% more absorbent than meltblown polypropylene sorbents.
- **Cost effective** – More absorbency for the same price. Use less to absorb more - reduce waste.
- **Safe** – Fire Retardant (universal version) - Meets ASTM E84-05 standard.
- **Stable prices** - Not dependent upon oil prices.

## RE-FORM™ ABSORBENT FAMILY:

All of these pads and rolls start with a highly absorbent core made from recycled materials - the difference is what happens from there. Features such as durability, absorbency grades and coverstock give you versatile absorbent options for your specific application.

|  | Applications  | Durability | Linting        | Absorbency Grades            | Construction   |
|--|---|------------|----------------|------------------------------|--|
| <b>Re-Form™ Absorbent Pads</b><br>Page 37                      | Value absorbent for general purpose wiping, drips or leaks.                                       | ✓          | High Linting   | Heavy, Medium & Light Weight | Minimum 80% recycled newsprint and cellulose                             |
| <b>Re-Form™ Pro Plus Absorbent Pads &amp; Rolls</b><br>Page 37 | High absorbency for petroleum-based drips, spills and wiping applications.                        | ✓✓         | Medium Linting | Heavy Weight                 | 3-ply, 90% recycled fibres   |
| <b>Re-Form™ Plus Absorbent Pads &amp; Rolls</b><br>Page 38     | Maintenance absorbent for general industrial applications.  | ✓✓         | Medium Linting | Heavy, Medium & Light Weight | Minimum 80% recycled newsprint and cellulose with 1-sided coverstock     |
| <b>Re-Form™ XPlus Absorbent Pads &amp; Rolls</b><br>Page 38    | When durability and lower linting is needed for foot traffic, walkways, and around work stations. | ✓✓✓        | Low Linting    | Medium Weight                | Minimum 80% recycled cellulose with 2-sided MBPP coverstock              |
| <b>Re-Form™ Oil Only Absorbent Pads &amp; Rolls</b><br>Page 38 | High absorbency for petroleum based drips, spills and wiping applications.                        | ✓✓✓        | Low Linting    | Heavy Weight                 | Minimum 80% recycled cotton and cellulose with 2-sided coverstock (pads) |

## RE-FORM™ - BASIC UNIVERSAL PADS AND SOCS TO CLEAN UP SPILLS AND LEAKS.

- Made from 80% recycled newsprint and other cellulose material.
- Universal product great for water, oil and non aggressive chemicals.
- Higher absorbency means less product is needed for the clean up.
- Suited for catching drips and emergency spill clean up.
- Meets ASTM E84-05 fire retardancy standard.



| Order Reference | Article No. | Description                                | Total Qty/Pack    | Absorption Capacity (Ltrs) |
|-----------------|-------------|--|-------------------|----------------------------|
| RF100           | 813938      | PADS Re-Form, 38 cm x 48 cm, Heavy Weight  | 100 Pad(s) / Box  | 151                        |
| RF300           | 813939      | PADS Re-Form, 38 cm x 48 cm, Medium Weight | 100 Pad(s) / Box  | 121                        |
| RF500           | 813940      | PADS Re-Form, 38 cm x 48 cm, Light Weight  | 100 Pad(s) / Box  | 90                         |
| MS412           | 813951      | SOC, Re-Form Multiwik, diam.7.6 cm x 1.2 m | 12 Piece(s) / Box | 45                         |
| MS50            | 813952      | SOC, Re-Form Multiwik, diam.7.6 cm x 1.2 m | 40 Piece(s) / Box | 151                        |
| MS806           | 813953      | SOC, Re-Form Multiwik, diam.7.6 cm x 2.4 m | 6 Piece(s) / Box  | 45                         |
| MS124           | 813954      | SOC, Re-Form Multiwik, diam.7.6 cm x 3.6 m | 4 Piece(s) / Box  | 45                         |

## RE-FORM™ PRO PLUS - THE ABSORBENCY AND DURABILITY YOU EXPECT, PLUS IT'S RECYCLED!

The look, feel and performance of a traditional absorbent - and it's made from 90 % recycled fibres. Available in pads and rolls, Re-Form Pro Plus helps keep your employees and work environment safe from unexpected spills, leaks, drips and other accidents. Not for use with highly aggressive acids and caustics.

- Environmentally friendly: made of 90% recycled materials
- Extremely absorbent: absorbs 20 times its weight
- Strong durability: 3-ply dimpled construction



| Order Reference | Article No. | Description  | Total Qty/Pack   | Absorption Capacity (Ltrs) |
|-----------------|-------------|--|------------------|----------------------------|
| RFPP100         | 134355      | PADS Re-Form Pro Plus, 38 cm x 48 cm, Heavy Weight | 100 Pad(s) / Box | 98                         |
| RFPP30P         | 134356      | ROLL Re-Form Pro Plus, 76 cm x 46 m, Heavy Weight  | 1 Roll(s) / Box  | 98                         |



Perforated design means you only use what you need and create less waste.

# Re-Form™ Eco-Friendly Absorbents

## RE-FORM™ PLUS UNIVERSAL - ECO-FRIENDLY PADS AND ROLLS WITH ONE-SIDED COVERSTOCK FOR GENERAL CLEAN UP AND WIPING APPLICATIONS.



- Made from 80% recycled newsprint and other cellulose material.
- Absorbs and retains oils, coolants, solvents. Not for use with highly aggressive acids and caustics.
- One-sided spunbond coverstock adds durability and makes the product ideal for general maintenance and wiping applications.
- Outstanding absorbency (up to 20 times its weight).
- Use less to absorb more - reduces waste and lowers clean up costs.
- Designed with easy tear perforations to help reduce waste.
- Meets ASTM E84-05 fire retardancy standard.



| Order Reference | Article No. | Description  | Total Qty/Pack   | Absorption Capacity (Ltrs) |
|-----------------|-------------|--|------------------|----------------------------|
| RFP300          | 813942      | PADS Re-Form, 38 cm x 48 cm, Medium Weight, Perfed             | 100 Pad(s) / Box | 121                        |
| RFP500          | 813943      | PADS Re-Form, 38 cm x 48 cm, Light Weight, Perfed              | 100 Pad(s) / Box | 90                         |
| RFP28DP         | 813946      | ROLL, Re-Form Plus, 72 cm x 46 m, Heavy Weight, Double Perfed  | 1 Roll(s) / Box  | 235                        |
| RFP328DP        | 813948      | ROLL, Re-Form Plus, 72 cm x 46 m, Medium Weight, Double Perfed | 1 Roll(s) / Box  | 204                        |

## RE-FORM™ XPLUS UNIVERSAL - DUAL SIDED ECO-FRIENDLY SORBENTS PROVIDING EXTRA STRENGTH AND ABSORBENCY.



- Made from 80% recycled newsprint and raw cellulose.
- Absorbs all types of industrial liquids (water, oils, solvents, coolants, etc) except aggressive acids and caustics.
- Built with a tough, abrasion resistant coverstock on both sides, this construction increases the durability and strength of the product by 20%.
- Ideal sorbent for wiping applications, handling light foot traffic, and as a general maintenance sorbent for indoor use.
- Higher absorbency means fewer sorbents per spill.
- Perforated to minimise waste - use only what you need.
- Meets ASTM E84-05 fire retardancy standard.



| Order Reference | Article No. | Description  | Total Qty/Pack   | Absorption Capacity (Ltrs) |
|-----------------|-------------|--|------------------|----------------------------|
| RFDP300         | 813944      | PADS Re-Form XPlus, 38 cm x 48 cm, Medium Weight, Perfed                 | 100 Pad(s) / Box | 121                        |
| RFDP314P        | 813949      | ROLL, Re-Form XPlus, 36 cm x 46 m, Medium Weight, Perfed, 2 x coverstock | 1 Roll(s) / Box  | 104                        |

## RE-FORM™ OIL ONLY - ENVIRONMENTALLY-FRIENDLY SORBENTS WITH SUPERIOR ABSORBENCY MADE FROM 80% COTTON.



- Made from 80% cotton – a renewable resource.
- Absorbs oil, grease, transmission fluid and oil based paints and solvents.
- They repel water and float, making them ideal for marine spills and outdoor industrial applications.
- Spunbond coverstock adds durability and makes the product ideal for general maintenance and wiping applications.
- Perforated allowing the customer to use only what he needs - minimising waste and reducing disposal costs.
- Can absorb up to 30 times their weight in liquid. This means less product is needed to clean up the spill resulting in lower clean-up costs.



**Note:** Re-Form™ Oil Only sorbents are not fire retardant.

| Order Reference | Article No. | Description  | Total Qty/Pack   | Absorption Capacity (Ltrs) |
|-----------------|-------------|--|------------------|----------------------------|
| RFODP100        | 813962      | Oil Only Re-Form Pad, 38 cm x 48 cm, Heavy Weight, perfed, 2 x coverstock      | 100 Pad(s) / Box | 148                        |
| RFOP28DP        | 813964      | Oil Only Re-Form Roll, 72 cm x 46 m, Heavy Weight, double perf, 1 x coverstock | 1 Roll(s) / Box  | 282                        |





# Stations, Kits & Containment

## Keeping You Safe From Unexpected Spills or Leaks.

### Spill Containment

A proper spill containment plan can help create a safe and productive work environment for your employees. SPC spill containment products help to prepare and protect any facility with solutions for unexpected, critical accidents. Absorbent storage centres and SPC spill kits provide fast-response solutions for unplanned spills of oils, solvents, coolants and other fluids. SPC drains, spill decks, berms, pans and pallets also ensure facility safety by catching, controlling and containing unexpected leaks, drips and spills.

- Accidental or unexpected spills
- Indoor and outdoor drain applications
- Storing absorbent products at the point of need

## BE READY FOR ANY KIND OF SPILL

Spill Safety Stations can help you respond quickly and efficiently to Oil, Chemical and Universal spills!

- Easy to locate and identify from all angles
- Find essential spill safety items in one place
- Instantly notice when stock is running low

### Key features and benefits

- **Gloves, disposal bags, tear-off absorbent pads:** essential items to clean up spills safely and quickly dispose of them
- **Best practice guide:** 10 best practice steps on how to deal with a spill safely
- **3D Header sign:** the station is easy to locate from all angles
- **Easy to install:** simply assemble and affix to the wall with the screws, raw plugs and black finishing caps provided
- **Spill pads are colour coded:** to show the type of spill they can handle, oil are white, chemical are green, universal are grey



| Article No. | Description             | Quantity |
|-------------|-------------------------|----------|
| 134431      | SPC Spill Station Empty | 1 Kit    |

There are three types of Spill Safety Station, and each will help you respond to different kinds of spill. Each station can be supplied with or without Economy Spill Kit (see page 43).

### Spill Stations

| Article No. | Description                                  | Quantity |
|-------------|--|----------|
| 134432      | SPC Spill Station Oil, English version       | 1 Kit    |
| 134434      | SPC Spill Station Chem, English version      | 1 Kit    |
| 134437      | SPC Spill Station Universal, English version | 1 Kit    |

### Spill Stations With Economy Spill Kit

| Article No. | Description   | Quantity |
|-------------|---|----------|
| 134433      | SPC Spill Station Oil & Grab, English version       | 1 Kit    |
| 134435      | SPC Spill Station Chem & Grab, English version      | 1 Kit    |
| 134436      | SPC Spill Station Universal & Grab, English version | 1 Kit    |

**i** Yellow disposal bags can be ordered separately.  
Article number: 834179 - Order Reference: BAG-DIS-YEL



## SPILL RESPONSE PLUS: HIGH ABSORBENCY AND RELIABILITY FOR SMALL SPILL APPLICATIONS

Spill Response Plus is a smaller size pad and roll designed to be highly absorbent, durable, low lint and to reduce waste. By using proper absorbents for your small spill applications, you lower the risk of workplace accidents.

- Dimpled design provides better looking, strong and durable product
- Roll is perforated so you only use what you need
- Includes universal (grey), oil only (white) and chemical (green) applications
- **Perfect to be used with Spill Safety Stations and Sorbent Dispensers**



| Order Reference | Article No. | Description  | Total Qty/ Pack | Absorption Capacity (Ltrs) |
|-----------------|-------------|--|-----------------|----------------------------|
| OP365-P         | 834175      | ROLL, 19 cm x 15 m, Heavy weight, perforated & bonded (60 pads per roll) | 1 Roll(s) / Bag | 15                         |
| MRO365-P        | 834176      | ROLL, 19 cm x 15 m, Heavy weight, perforated & bonded (60 pads per roll) | 1 Roll(s) / Bag | 15                         |
| UN365-P         | 834177      | ROLL, 19 cm x 15 m Perforated, 60 pads per roll                          | 1 Roll(s) / Bag | 12                         |



## SORBENT DISPENSERS: EASY ACCESS FOR EFFICIENCY

Make your sorbents easily accessible and keep your work environment clean to improve efficiency.

- Various sizes, adjustable to your rolls and applications
- Light weight mobile dispensers: easily placed where they are needed
- Compact, space saving design
- Easy to install = saves time

### Multiple Options:

**Static Roll Dispenser:** strong steel construction, yet light weight and mobile.

**Wall Mounted Roll Dispenser:** bar that holds the roll while the sheets are being torn off. Light weight stainless steel construction.

**Vertical Roll Dispenser:** features wheels for easy manoeuvrability. Strong steel construction, yet light weight and mobile.

**Complete Spill Centre:** contains 3 shelves for dispenser boxes, 1 roll holder for sorbents plus mounting facilities for both stock card and disposal bags.

| Order Reference | Article No. | Description                            | Quantity | Colour |
|-----------------|-------------|--|----------|--------|
| DJR126          | 830952      | Static roll dispenser 50 cm wide       | 1        | Silver |
| DJR127          | 830953      | Wall mounted roll dispenser 50 cm wide | 1        | Yellow |
| DJR128          | 830954      | Vertical roll dispenser 1m wide roll   | 1        | Yellow |
| DJR129          | 830955      | Steel Spill Centre                     | 1        | Yellow |

Sorbents to be ordered separately.



Steel Spill Centre  
H 1850.00 mm x W 555.00 mm x D 830.00 mm



Vertical roll dispenser 1m wide roll



Static roll dispenser 50 cm wide



Wall mounted roll dispenser 50 cm wide



## BE PREPARED WITH SPILL KITS ON HAND THROUGHOUT YOUR FACILITY!

### Emergency response kits to handle any type of spill.

Accidents do happen, so it's better to be prepared. Brady offers a complete selection of SPC spill kits in a variety of types and sizes to equip you with everything you need to clean-up accidents when they happen. Quickly and easily clean-up spills of oils, solvents, coolants and other fluids. They are ideal for fast response to critical accidents.

### Many of our kits are available in the following types:

- **Universal/Maintenance Kits:** For oil, water-based and chemical liquids
- **Oil Only Spill Kits:** For oil and petroleum-based liquids
- **Chemical Spill Kits:** For aggressive and hazardous liquids

### Spill Kits Increase Efficiency

Worker productivity and efficiencies can be improved dramatically by placing spill kits or absorbent storage centres strategically around the facility and closer to the areas of need. For both emergency response and routine maintenance and safety, you don't want employees wandering away from their workstation to the other side of the plant or tool room to find the absorbent materials they need.



Maintenance Areas



Shipping Docks



Plant Floor



Freight Vehicles

## ADR SPILL KITS - AN ECONOMICAL WAY TO KEEP YOU IN COMPLIANCE.

The European ADR 2005 agreement stipulates that carriers of dangerous goods are obliged to, among other things: "Provide their trucks with all the necessary safety equipment like extinguishers, warning signs, first aid equipment and a spill kit." With this in mind, SPC developed the ADR spill kit. Thanks to its compact design, the ADR spill kit requires a minimum of storage space yet it contains all the sorbents needed to handle a small spill: socks to contain the spill - pads and pillows for the clean up.



- Economical - The best value for your money.
- High absorbency at a low cost.
- Compact: Easy to put in smaller storage areas, behind or under the seat of a truck.
- Durable see-through bag makes it easy to check the spill response supplies.
- Quick & easy access to the sorbents ensuring a fast response thanks to the zipper which opens up the entire front of the bag.
- Easy to carry with handy shoulder strap.
- Hassle free: Complete with gloves, disposal bags and sorbents - everything you need!

**Small kit contains:** 25 pads (41 cm x 51 cm) , 4 socks (Ø 7.6 cm x 122 cm), 1 pair of gloves, instruction sheet and 1 disposal bag.

**Large kit contains:** 35 pads (41 cm x 51 cm) , 1 soc (Ø 7.6 cm x 122 cm), 1 soc (Ø 7.6 cm x 244 cm), 1 pillow (43 cm x 48 cm), 4 pillows (23 cm x 23 cm), 1 pair of gloves, instruction sheet and 2 disposal bags.

| Order Reference | Article No. | Description                                 | Absorption Capacity (Ltrs) |
|-----------------|-------------|---|----------------------------|
| SKO-ADR-S       | 813862      | Small ADR Spill Kit, Oil Only, 43 litres    | 43                         |
| SKA-ADR-S       | 813863      | Small ADR Spill Kit, Maintenance, 43 litres | 43                         |
| SKH-ADR-S       | 813864      | Small ADR Spill Kit, Chemical, 37 litres    | 37                         |
| SKO-ADR-L       | 813865      | Large ADR Spill Kit, Oil Only, 63 litres    | 63                         |
| SKA-ADR-L       | 813866      | Large ADR Spill Kit, Maintenance, 63 litres | 63                         |
| SKH-ADR-L       | 813867      | Large ADR Spill Kit, Chemical, 57 litres    | 57                         |



## PORTABLE SPILL KITS - FOR FAST RESPONSE TO SMALL SPILLS.

### ECONOMY SPILL KIT

- Yellow PVC bag with handles for high visibility.
- Compact size: Easy to put in small storage area, behind or under the seat of a truck.
- Ideal for carriers who occasionally transport small quantities of liquids.
- Water-resistant, light weight bag keeps sorbents dry.

**Kit contains:** 10 pads (41 cm x 51 cm), 2 socs (Ø 7.6 cm x 122 cm), 1 pair of gloves and 1 disposal bag.

| Order Reference | Article No. | Description                    | Quantity | Absorption Capacity (Ltrs) |
|-----------------|-------------|--------------------------------|----------|----------------------------|
| SKO-PP          | 813856      | ECONOMY Spill Kit, Oil Only    | 1 Kit    | 18                         |
| SKA-PP          | 813857      | ECONOMY Spill Kit, Maintenance | 1 Kit    | 18                         |
| SKH-PP          | 813858      | ECONOMY Spill Kit, Chemical    | 1 Kit    | 16                         |



### ATTACK PAC

- Single use kit: Ideal for small spills.
- UV resistant foil bag protects sorbents against moisture and dirt.

**Kit contains:** 15 pads (41 cm x 51 cm), 3 socs (Ø 7.6 cm x 100 cm), 1 pair of gloves, 1 pair of goggles and 1 disposal bag.

| Order Reference | Article No. | Description             | Quantity   | Absorption Capacity (Ltrs) |
|-----------------|-------------|-------------------------|------------|----------------------------|
| SKO-ATK         | 813859      | ATTACK PAC, Oil Only    | 4 Kits/Box | 104                        |
| SKA-ATK         | 813860      | ATTACK PAC, Maintenance | 4 Kits/Box | 104                        |
| SKH-ATK         | 813861      | ATTACK PAC, Chemical    | 4 Kits/Box | 97                         |



## DRUM SPILL KITS - FOR MEDIUM AND LARGE SPILLS. PROTECT YOUR SORBENTS AGAINST MOISTURE, DIRT & DAMAGE.

### LAB PACK

- Ideal for medium sized spills.
- Water and chemical resistant drum protects sorbents.
- Easy access to products thanks to screw top lid.
- Drum can be used as shipping container for used sorbents.

**Kit contains:** 12 pads (41 cm x 51 cm), 3 socs (Ø 7.6 cm x 366 cm), 2 pillows (43 cm x 48 cm), 1 pair of gloves, 1 pair of goggles and 3 disposal bags.

| Order Reference | Article No. | Description           | Quantity | Absorption Capacity (Ltrs) |
|-----------------|-------------|-----------------------|----------|----------------------------|
| SKO-20          | 813869      | LAB PACK, Oil Only    | 1 Kit    | 59                         |
| SKA-20          | 813870      | LAB PACK, Maintenance | 1 Kit    | 59                         |
| SKH-20          | 813871      | LAB PACK, Chemical    | 1 Kit    | 57                         |





## DRUM SPILL KITS - FOR MEDIUM AND LARGE SPILLS. PROTECT YOUR SORBENTS AGAINST MOISTURE, DIRT & DAMAGE.



### 200 LITRE DRUM

- Ideal for medium to large spills.
- Water and chemical resistant drum protects sorbents.
- Lever-lock lid for fast response.
- Drum can be used as shipping container for used sorbents.

**Kit contains:** 50 pads (41 cm x 51 cm), 4 socs (Ø 7.6 cm x 366 cm), 8 pillows (43 cm x 48 cm), 1 pair of gloves, 1 pair of goggles and 5 disposal bags.

| Order Reference | Article No. | Description                 | Quantity | Absorption Capacity (Ltrs) |
|-----------------|-------------|-----------------------------|----------|----------------------------|
| SKO-55          | 813872      | 200 LITRE DRUM, Oil Only    | 1 Kit    | 152                        |
| SKA-55          | 813873      | 200 LITRE DRUM, Maintenance | 1 Kit    | 152                        |
| SKH-55          | 813874      | 200 LITRE DRUM, Chemical    | 1 Kit    | 142                        |



### 360 LITRE OVERPACK DRUM

- Ideal for larger spills.
- Water and chemical resistant drum protects sorbents.
- Moulded design allows for easy gripping and pick up by a forklift or trolley.



**Kit contains:** 100 pads (41 cm x 51 cm), 12 socs (Ø 7.6 cm x 122 cm), 8 socs (Ø 7.6 cm x 366 cm), 8 pillows (43 cm x 48 cm), 50 wipes (30 cm x 38 cm), 1 pair of gloves, 1 pair of goggles and 10 disposal bags.

| Order Reference | Article No. | Description                          | Quantity | Absorption Capacity (Ltrs) |
|-----------------|-------------|--------------------------------------|----------|----------------------------|
| SKO-95          | 813875      | 360 LITRE OVERPACK DRUM, Oil Only    | 1 Kit    | 268                        |
| SKA-95          | 813876      | 360 LITRE OVERPACK DRUM, Maintenance | 1 Kit    | 264                        |
| SKH-95          | 813877      | 360 LITRE OVERPACK DRUM, Chemical    | 1 Kit    | 279                        |

## MOBILE SPILL KITS - FOR FAST SPILL RESPONSE ANYWHERE IN THE PLANT.

### SPILL KADDIE

- Recommended for medium sized spills and maintenance jobs.
- Double doors provide easy access to products.
- Interior shelves and compartments keep sorbents organised.
- Cart protects sorbents against dirt, moisture and damage.
- Fits easily through narrow aisles and doorways.
- Wheels allow excellent mobility both indoors and outdoors.

**Kits contains:** 1 double perforated roll (38 cm x 22 m), 2 socs (Ø 7.6 cm x 122 cm), 1 soc (Ø 7.6 cm x 244 cm), 6 pillows (25 cm x 25 cm), 1 pair of goggles, 1 pair of gloves, 2 disposal bags

| Order Reference | Article No. | Description               | Quantity | Absorption Capacity (Ltrs) |
|-----------------|-------------|---------------------------|----------|----------------------------|
| SKO-CART        | 813878      | SPILL KADDIE, Oil Only    | 1 Kit    | 69                         |
| SKA-CART        | 813879      | SPILL KADDIE, Maintenance | 1 Kit    | 69                         |
| SKH-CART        | 813880      | SPILL KADDIE, Chemical    | 1 Kit    | 59                         |



### MOBILE CONTAINER KIT

- For medium sized spills.
- Weather-resistant polyethylene container protects sorbents against dirt, moisture and damage.
- Hinged lid provides easy access to the products.
- Wheels allow excellent mobility indoors and outdoors.

#### Contents SKO-120, SKA-120 & SKH-120:

50 pads (41 cm x 51 cm), 12 socs (Ø 7.6 cm x 122 cm), 6 pillows (43 cm x 48 cm), 1 pair of gloves, 1 pair of goggles and 3 disposal bags.

#### Contents SKO-240, SKA-240 & SKH-240:

150 pads (41 cm x 51 cm), 6 socs (Ø 7.6 cm x 244 cm), 8 pillows (43 cm x 48 cm), 2 pair of gloves, 2 pair of goggles and 6 disposal bags.

| Order Reference | Article No. | Description                       | Quantity | Absorption Capacity (Ltrs) |
|-----------------|-------------|-----------------------------------|----------|----------------------------|
| SKO-120         | 813881      | MOBILE CONTAINER KIT, Oil Only    | 1 Kit    | 124                        |
| SKA-120         | 813882      | MOBILE CONTAINER KIT, Maintenance | 1 Kit    | 124                        |
| SKH-120         | 813883      | MOBILE CONTAINER KIT, Chemical    | 1 Kit    | 128                        |
| SKO-240         | 813884      | MOBILE CONTAINER KIT, Oil Only    | 1 Kit    | 250                        |
| SKA-240         | 813885      | MOBILE CONTAINER KIT, Maintenance | 1 Kit    | 250                        |
| SKH-240         | 813886      | MOBILE CONTAINER KIT, Chemical    | 1 Kit    | 233                        |



### SPILL TRUCK

- Ideal for larger spills.
- Lid provides easy access to the products.
- Wheels allow excellent mobility indoors and outdoors.
- Weather and chemical resistant container protects sorbents from moisture, dirt and damage.

**Kit contains:** 150 pads (41 cm x 51 cm), 36 socs (Ø 7.6 cm x 122 cm), 20 socs (Ø 7.6 cm x 366 cm), 16 pillows (43 cm x 48 cm), 50 wipes (30 cm x 38 cm), 1 pair of gloves, 1 pair of goggles and 30 disposal bags.

| Order Reference | Article No. | Description              | Quantity | Absorption Capacity (Ltrs) |
|-----------------|-------------|--------------------------|----------|----------------------------|
| SKO-XLT         | 813887      | SPILL TRUCK, Oil Only    | 1 Kit    | 619                        |
| SKA-XLT         | 813888      | SPILL TRUCK, Maintenance | 1 Kit    | 620                        |
| SKH-XLT         | 813889      | SPILL TRUCK, Chemical    | 1 Kit    | 601                        |



## OPA KITS - HELP YOU COMPLY WITH THE OPA90 REGULATIONS.

What is OPA? The Oil Pollution Act (OPA) was signed into law in 1990 (USA) in response to one of the worlds largest oil spills, the sinking of the oil tanker Exxon Valdez in Alaska. Regulations were set for oil tankers, vessels, oil tanker owners and operators improving their ability to prevent and respond to oil spills. SPC has developed several kits in order to help you comply with the OPA90 regulations. All of our kits presented here are compliant with the OPA90 regulations.



### 7 BARREL (1100 LITRES) OPA90 KIT COMPLIANT

#### Contents:

- 750 pads (41 cm x 51 cm)
- 12 socs (Ø 7.6 cm x 122 cm)
- 8 pillows (43 cm x 48 cm)
- 12 booms (Ø 13 cm x 3 m)
- 1 sweep (48 cm x 30.5 m)
- 2 pair of goggles
- 5 disposable jump suits
- 5 pair of gloves
- 2 non-spark scoops
- 10 yellow disposal bags
- 1 non-sparking pump
- 2 x 20 litre buckets
- 2 anti-static shovels

| Order Reference | Article No. | Description                                    | Quantity | Absorption Capacity (Ltrs) |
|-----------------|-------------|--|----------|----------------------------|
| SL-7 BARR-C     | 813904      | OPA90 Spill Kit, 7 barrel compliant - Oil Only | 1 Kit    | 1381                       |

#### Refills

| Order Reference | Article No. | Description   | Total Qty/Pack    | Absorption Capacity (Ltrs) |
|-----------------|-------------|---|-------------------|----------------------------|
| OP100-E         | 813732      | PADS, 41 cm x 51 cm, Heavy weight, perforated & bonded  | 100 Pad(s) / Box  | 112                        |
| SPC105-E        | 813735      | PADS, 41 cm x 51 cm, Heavy weight, perforated & bonded  | 100 Pad(s) / Box  | 121                        |
| SPC100-E        | 813736      | PADS, 41 cm x 51 cm, Heavy weight, perforated & bonded  | 100 Pad(s) / Box  | 114                        |
| SPC200-E        | 813737      | PADS, 41 cm x 51 cm, Light weight, perforated & bonded  | 200 Pad(s) / Box  | 166                        |
| SPC300-E        | 813738      | PADS, 41 cm x 51 cm, Medium weight, perforated & bonded | 100 Pad(s) / Box  | 102                        |
| ENV100-M        | 813741      | MAXX PADS, 41 cm x 51 cm, Heavy weight                  | 100 Pad(s) / Box  | 136                        |
| ENV200-M        | 813742      | MAXX PADS, 41 cm x 51 cm, Light weight                  | 200 Pad(s) / Box  | 221                        |
| ENV300-M        | 813743      | MAXX PADS, 41 cm x 51 cm, Medium weight                 | 100 Pad(s) / Box  | 111                        |
| ENV400-M        | 813744      | MAXX PADS, 41 cm x 51 cm, Light weight                  | 100 Pad(s) / Box  | 110                        |
| SPC510          | 813769      | BOOM, Ø 13 cm x 3 m, Standard weight                    | 4 Piece(s) / Bag  | 119                        |
| OIL412          | 813776      | SOC, Ø 7.6 cm x 122 cm                                  | 12 Piece(s) / Box | 43                         |
| OIL1818-2       | 813781      | PILLOW, 43 cm x 48 cm                                   | 8 Piece(s) / Box  | 53                         |
| SPC1900         | 813799      | SWEEP, 48 cm x 30.5 m                                   | 1 Piece(s) / Bag  | 94                         |



Yellow disposal bags can be ordered separately.

Article number: 834179 - Order Reference: BAG-DIS-YEL



## 12 BARREL (1900 LITRES) OPA90 KIT COMPLIANT

### Contents:

- 950 pads (41 cm x 51 cm)
- 48 socs (Ø 7.6 cm x 122 cm)
- 8 pillows (43 cm x 48 cm)
- 20 booms (Ø 13 cm x 3 m)
- 4 sweeps (48 cm x 30.5 m)
- 2 pair of goggles
- 5 disposable jump suits
- 5 pair of gloves
- 2 non-spark scoops
- 10 yellow disposal bags
- 1 non-sparking pump
- 2 x 20 litre buckets
- 2 anti-static shovels



| Order Reference | Article No. | Description                                     | Quantity | Absorption Capacity (Ltrs) |
|-----------------|-------------|---|----------|----------------------------|
| SL-12 BARR-C    | 813905      | OPA90 Spill Kit, 12 barrel compliant - Oil Only | 1 Kit    | 2251                       |

### Refills

| Order Reference | Article No. | Description   | Total Qty/Pack    | Absorption Capacity (Ltrs) |
|-----------------|-------------|---|-------------------|----------------------------|
| OP100-E         | 813732      | PADS, 41 cm x 51 cm, Heavy weight, perforated & bonded  | 100 Pad(s) / Box  | 112                        |
| SPC105-E        | 813735      | PADS, 41 cm x 51 cm, Heavy weight, perforated & bonded  | 100 Pad(s) / Box  | 121                        |
| SPC100-E        | 813736      | PADS, 41 cm x 51 cm, Heavy weight, perforated & bonded  | 100 Pad(s) / Box  | 114                        |
| SPC200-E        | 813737      | PADS, 41 cm x 51 cm, Light weight, perforated & bonded  | 200 Pad(s) / Box  | 166                        |
| SPC300-E        | 813738      | PADS, 41 cm x 51 cm, Medium weight, perforated & bonded | 100 Pad(s) / Box  | 102                        |
| ENV100-M        | 813741      | MAXX PADS, 41 cm x 51 cm, Heavy weight                  | 100 Pad(s) / Box  | 136                        |
| ENV200-M        | 813742      | MAXX PADS, 41 cm x 51 cm, Light weight                  | 200 Pad(s) / Box  | 221                        |
| ENV300-M        | 813743      | MAXX PADS, 41 cm x 51 cm, Medium weight                 | 100 Pad(s) / Box  | 111                        |
| ENV400-M        | 813744      | MAXX PADS, 41 cm x 51 cm, Light weight                  | 100 Pad(s) / Box  | 110                        |
| SPC510          | 813769      | BOOM, Ø 13 cm x 3 m, Standard weight                    | 4 Piece(s) / Bag  | 119                        |
| OIL430          | 813775      | SOC, Ø 7.6 cm x 122 cm                                  | 30 Piece(s) / Box | 106                        |
| OIL412          | 813776      | SOC, Ø 7.6 cm x 122 cm                                  | 12 Piece(s) / Box | 43                         |
| OIL1818-2       | 813781      | PILLOW, 43 cm x 48 cm                                   | 8 Piece(s) / Box  | 53                         |
| SPC1900         | 813799      | SWEEP, 48 cm x 30.5 m                                   | 1 Piece(s) / Bag  | 94                         |



Yellow disposal bags can be ordered separately.

Article number: 834179 - Order Reference: BAG-DIS-YEL

## SPC SPILL BINS

These large and extra large bins are ideal for creating your own custom emergency response kits. Large enough to hold plenty of sorbents as well as any tools or minor equipment, these bins will help you be prepared for just about any spill within your facility.



| Order Reference | Article No. | Description                         | Weight (kg) | Colour | Quantity |
|-----------------|-------------|-------------------------------------|-------------|--------|----------|
| SC-LBIN         | 813906      | LARGE BIN, 126 x 85 x 91 cm         | 26.00       | Yellow | 1        |
| SC-XLBIN        | 813907      | EXTRA LARGE BIN, 147 x 100 x 104 cm | 32.50       | Orange | 1        |



Use nearby your liquid storage area.

## SPC Spill Box - PADS IN A CONVENIENT DISPENSER BOX ALLOWING YOU TO CREATE MULTIPLE SPILL STATIONS AROUND YOUR SITE!

- Reusable plastic box can be refilled once all the sorbents have been used.
- The Spill Box is light enough to be hanged to laboratory and storage area walls or to be attached to a forklift.
- The bright yellow colour stands out for quick identification and use.
- Various application areas: in liquid storage areas, behind the seat of a truck, lab environments, in workstations that deal with liquids.



### Spill Box

| Order Reference | Article No. | Description                                     | Absorption Capacity (Ltrs) |
|-----------------|-------------|---|----------------------------|
| SA-SBO          | 813908      | SPILL BOX, Oil Only, filled box with 15 pads    | 10                         |
| SA-SBA          | 813909      | SPILL BOX, Maintenance, filled box with 15 pads | 10                         |
| SA-SBH          | 813910      | SPILL BOX, Chemical, filled box with 10 pads    | 9                          |

### Refills

| Order Reference | Article No. | Description   | Total Qty/Pack   | Absorption Capacity (Ltrs) |
|-----------------|-------------|---|------------------|----------------------------|
| SXT200-E        | 813730      | PADS, 41 cm x 51 cm, Light weight, perforated & bonded  | 200 Pad(s) / Box | 136                        |
| UXT200-E        | 813807      | PADS, 41 cm x 51 cm, Light weight, perforated & bonded  | 200 Pad(s) / Box | 136                        |
| UN100-E         | 813842      | PADS, 41 cm x 51 cm, Medium weight, perforated & bonded | 100 Pad(s) / Box | 88                         |



## SKH-MINI - A FULLY DISPOSABLE SPILL KIT TO CLEAN UP SMALL CHEMICAL SPILLS QUICKLY, EASILY AND WITHOUT RISK OF INJURIES.

- Highly visible green colour.
- The autoclavable disposal bag is heat resistant up to 145°C to guarantee safe disposal of laboratory waste.
- Suited for spills of up to 1.7 litres, absorbing chemicals, water & oil based fluids.
- The specially designed disposable brush is intended to sweep up any broken glass or debris allowing a safe clean up without risk of injuries.
- Compact design: the SKH-MINI can easily be placed in any areas where it is most needed.
- Protective gloves are powder free, have roughened fingertips, increased tear resistance and a good chemical resistance for more safety.

**Contents:** 2 pads (41 cm x 51 cm), 1 pair of disposable chemical protective gloves, 1 autoclavable disposal bag, 1 disposable brush and 1 multilingual instruction guide.

| Order Reference | Article No. | Description                    | Quantity   | Absorption Capacity (Ltrs) |
|-----------------|-------------|--------------------------------|------------|----------------------------|
| SKH-MINI        | 813868      | Disposable spill kit, chemical | 4 Kits/Box | 6.80*                      |

\*4 x 1.7 litres



## SPC SORBENT CENTRE - THE FIRST MODULAR AND MOBILE STORAGE CABINET DESIGNED SPECIFICALLY FOR SORBENTS!


- Made from strong, durable and chemically resistant polyethylene for longer life!
- Double use: Use it as a spill kit or as a sorbent storage & dispensing station.
- Modular design: Stack 2 or 3 units together in order to make a cabinet.
- Dual access doors: Allows easy and quick access to the product.
- Add wheels and its mobile!



### SORBENT CENTRE (CABINET ONLY – UNASSEMBLED)

- Dimensions unassembled: 126 cm (L) x 53 cm (W) x 20 cm (H)
- Dimensions assembled: 126 cm (L) x 53 cm (W) x 66 cm (H)

| Order Reference | Article No. | Description  | Quantity |
|-----------------|-------------|--|----------|
| SC-3000         | 813899      | Cabinet only (Without Sorbents and Accessory Pack) | 1        |



### ACCESSORIES

| Order Reference | Article No. | Description  | Quantity |
|-----------------|-------------|--|----------|
| SC-4            | 813900      | Set of 5 casters (Ø 7 cm) (For use with single or double unit) | 5        |
| SC-ACC          | 813901      | Accessory Pack, (goggles, gloves, disposal bags with ties)     | 1        |
| SC-D15          | 813902      | Dowel of 43 cm   | 1        |
| SC-D40          | 813903      | Dowel of 106 cm  | 1        |

### SOME EXAMPLES TO CREATE YOUR A KIT TO FILL THE SORBENT CENTRE

1. 100 pads (41 cm x 51 cm) and 1 roll (38 cm x 46 m)
2. 100 pads (41 cm x 51 cm) and 12 socs (Ø 7.6 cm x 122 cm)
3. 12 socs (Ø 7.6 cm x 122 cm) and 8 pillows (43 cm x 48 cm)





Keeps spills from entering drains.


## SPC SPILL BARRIER - DESIGNED TO CONTAIN OR DIVERT SPILLS EASILY AND QUICKLY!

- Easy to connect multiple barriers. No additional connectors needed.
- Ideal as a barrier in doorways during washdown operations, as a dam to control or contain spilled liquids or as a diverter to direct liquids away from valuable equipment or vulnerable areas.
- Yellow colour for high visibility.
- Chemical resistant: polyurethane resists water, oil and many chemicals.
- Re-usable after cleaning with soap and water.
- Works best on smooth surfaces.



| Order Reference | Article No. | Description                                       | Quantity |
|-----------------|-------------|---|----------|
| SB-3            | 813921      | SPILL BARRIER, 3 m (L) x 10.5 cm (W) x 5.5 cm (H) | 1        |
| BAG-PVC24       | 813923      | BAG for PVC18, PVC24 en SB-3, Ø 20 cm x 80 cm     | 1        |

## SENTRY MAKE-A-BERM - THE IDEAL WAY TO CONTAIN LEAK PRONE EQUIPMENT AND/OR PROTECT BUSY WALKWAYS.



- Pliable construction (foam filled) - will spring back into shape, even if you drive over it with a forklift.
- User-friendly: Make a barrier any size or shape you want.
- Durable vinyl material resists oils, coolants and most chemicals.
- Easy to install.
- Yellow colour for high visibility.
- Cost savings: No need to build expensive cement curbs or to install metal barriers.

| Order Reference | Article No. | Description  | Quantity |
|-----------------|-------------|--|----------|
| SB-MAB-KIT      | 813980      | MAKE-A-BERM, Kit incl. 2 x 7.6 m wall sections, 4 corners, 1 roll of strapping and 6 tubes of silicone caulk | 1        |
| SB-MAB-WALL     | 813981      | MAKE-A-BERM, section of 4.5 m  | 1        |
| SB-MAB-COR      | 813982      | MAKE-A-BERM, Set of 2 corners  | 1        |

## NEOPRENE SLIKSTOPPER - A BASIC, ECONOMICAL DRAIN SEAL TO PREVENT LIQUIDS FROM ENTERING DRAINS.



- Simple to use.
- Generally resistant to non-aggressive chemicals and acids, ozone, oils, fats, greases and solvents
- Unique size : 92 cm x 92 cm
- Unique colour : black
- Thickness : 3 mm

| Order Reference | Article No. | Description                | Quantity |
|-----------------|-------------|----------------------------|----------|
| NPR36           | 813920      | SLIKSTOPPER, 92 cm x 92 cm | 1        |

## PVC SLIKSTOPPER - A HEAVY DUTY DRAIN SEAL THAT SEALS OFF DRAINS AND KEEPS SPILLS OUT!



- Yellow colour for high visibility
- Chemical resistant: flexible PVC resists water, oil and many chemicals.
- Re-usable after cleaning with soap and water.
- Works best on smooth surfaces.

| Order Reference | Article No. | Description                  | Quantity |
|-----------------|-------------|------------------------------|----------|
| PVC18           | 813916      | SLIKSTOPPER, 46 cm x 46 cm   | 1        |
| PVC24           | 813917      | SLIKSTOPPER, 61 cm x 61 cm   | 1        |
| PVC36           | 813918      | SLIKSTOPPER, 92 cm x 92 cm   | 1        |
| PVC42           | 813919      | SLIKSTOPPER, 107 cm x 107 cm | 1        |

## HANDY BAG ALLOWS YOU TO CARRY THE SLIKSTOPPER RIGHT TO THE SPILL.



| Order Reference | Article No. | Description                                   | Quantity |
|-----------------|-------------|---|----------|
| BAG-PVC24       | 813923      | BAG for PVC18, PVC24 en SB-3, Ø 20 cm x 80 cm | 1        |
| BAG-PVC42       | 813925      | BAG for PVC36 & PVC42, Ø 25 cm x 130 cm       | 1        |



## SPILL DECKS - A COST EFFECTIVE MEANS FOR CONTAINING POTENTIALLY HAZARDOUS LEAKS IN DRUM STORAGE AND DISPENSING AREAS.



With their 80-litre capacity, these low profile, 2-drum spill decks are a cost effective means for containing potentially hazardous leaks in your drum storage and dispensing areas. Each modular deck has built-in clips to easily and safely connect multiple decks to create a customised drum storage platform.

| Order Reference | Article No. | Description  | Quantity | Sump Capacity (Ltr) | Dynamic Load Capacity (Kg) |
|-----------------|-------------|--|----------|---------------------|----------------------------|
| SC-SD2          | 813966      | SPILL DECK, 2 drums, 132 (L) x 66 (W) x 15 (H) cm        | 1        | 80                  | 500                        |
| SC-DK           | 813967      | SUMP DRAIN KIT - to share capacity across multiple decks | 1        | —                   | —                          |

- Sump Drain Kit allows you to connect multiple spill decks in order to increase the overall sump capacity.



- Nestable decks minimise stock space and reduce your transportation costs.



- Built-in clips allow you to easily and safely connect multiple decks to create a customised drum storage platform.



- Grate pins prevent bulging walls and premature replacement of the unit.



- These decks have been engineered to make sure you can easily use your forklift to re-locate your decks.



## SPILL PALLETS - IDEAL PLATFORMS FOR INDOOR STORAGE OF 110 AND 200 LITRE DRUMS OR OTHER CONTAINERS.

Whether you are looking to comply with governmental secondary containment regulations or just want the security of knowing your facility is protected, SPC spill pallets offer ample capacity (even if an entire drum empties into the unit). Available in both a 2-drum and 4-drum configuration, the spill pallets offer up to 510 litres of containment. These pallets are for use with drums only and not suitable for heavy traffic and IBC.



| Order Reference | Article No. | Description  | Quantity | Sump Capacity (Ltr) | Dynamic Load Capacity (Kg) |
|-----------------|-------------|--|----------|---------------------|----------------------------|
| SC-DP2          | 813968      | SPILL PALLET, 2 drums, 132 (L) x 66 (W) x 43 (H) cm, 260 litres  | 1        | 260                 | 500                        |
| SC-DP4          | 813969      | SPILL PALLET, 4 drums, 132 (L) x 132 (W) x 43 (H) cm, 510 litres | 1        | 510                 | 1000                       |
| SC-DPR          | 813970      | RAMP, 180 (L) x 76 (W) x 55 (H) cm                               | 1        | —                   | 295                        |
| SC-DK           | 813967      | SUMP DRAIN KIT - to share capacity across multiple decks         | 1        | —                   | —                          |

- Both 2-drum and 4-drum spill pallets are the same height allowing easy transfer of drums from one pallet to the other.



- Optional ramp works with both the 2-drum and 4-drum spill pallets.



- These pallets have been engineered to make sure you can easily use your forklift or pallet jack to re-locate your pallets.



- Grates can be interchanged between the pallets and offer large openings to easily remove spills.



- Nestable pallets allow you to make better use of plant, warehouse or trailer space.



## SENTRY QUICKBERM OS - A PORTABLE CONTAINMENT SYSTEM WITH DRIVE-IN USE THAT PROTECTS AGAINST LEAKS AND SPILLS.



- One piece design for a fast set up. It's ready to use and deploys in seconds - no assembly, inflation or tools required.
- Heavy duty aluminum straps can collapse and lay flat as a truck or forklift pulls into the berm, and then be re-deployed.
- Made of light weight vinyl for easy transporting and greater durability.
- Exterior straps facilitate the cleaning and decontamination of the sump area.
- Compact design requires a minimum of storage space.
- Resistant to fuels and chemicals.
- Meets or exceeds secondary containment regulations for most industrial and military applications.

| Order Reference | Article No. | Description   | Quantity | Sump Capacity (Ltr) |
|-----------------|-------------|---|----------|---------------------|
| SB-SQ3          | 813971      | Spill Berm, Sentry QuickBerm OS, XR-5 vinyl, 3 m x 3 m x 30.5 cm      | 1        | 2745                |
| SB-SQ8          | 813972      | Spill Berm, Sentry QuickBerm OS, XR-5 vinyl, 3 m x 7.9 m x 30.5 cm    | 1        | 7228                |
| SB-SQ11         | 813973      | Spill Berm, Sentry QuickBerm OS, XR-5 vinyl, 3.6 m x 10.9 m x 30.5 cm | 1        | 11968               |
| SB-SQ15         | 813974      | Spill Berm, Sentry QuickBerm OS, XR-5 vinyl, 3.6 m x 15.2 m x 30.5 cm | 1        | 16690               |
| SB-SQ16         | 813975      | Spill Berm, Sentry QuickBerm OS, XR-5 vinyl, 4.2 m x 16.4 m x 30.5 cm | 1        | 21008               |
| SB-SQ20         | 813976      | Spill Berm, Sentry QuickBerm OS, XR-5 vinyl, 4.8 m x 20.1 m x 30.5 cm | 1        | 29426               |

## SENTRY LITE - COST-EFFECTIVE SOLUTION FOR CONTAINING SPILLS.



- Ideal for transformer storage, saddle tank ruptures or equipment/personnel decontamination.
- Made of light weight vinyl – can easily be deployed and handled by 1 person.
- Compact design requires a minimum of storage space. The ideal solution for emergency response vehicles, trucks and maintenance shops.
- Re-usable for cost savings.

| Order Reference | Article No. | Description   | Quantity | Sump Capacity (Ltr) |
|-----------------|-------------|---|----------|---------------------|
| SB-SL44         | 813977      | SPILL BERM, Sentry Lite, 510 g vinyl, 1.2 m x 1.2 m x 20 cm | 1        | 288                 |
| SB-SL46         | 813978      | SPILL BERM, Sentry Lite, 510 g vinyl, 1.2 m x 1.8 m x 20 cm | 1        | 432                 |
| SB-SL48         | 813979      | SPILL BERM, Sentry Lite, 510 g vinyl, 1.2 m x 2.4 m x 20 cm | 1        | 576                 |



## CHEMICAL APPLICATION GUIDE

Use the following guide to determine the compatibility of SPC absorbents with common chemicals.

| Universal absorbent Products:   | Oil Only Oil Absorbents:   | Chemical Absorbent Products:   | Organic Absorbents:  |
|---|--|--|--|
| <ul style="list-style-type: none"> <li>• Battlemat®</li> <li>• UXT</li> <li>• HT</li> <li>• MRO Plus®</li> <li>• GP</li> <li>• SIR &amp; BSM Mats</li> <li>• Allwik® SOC's &amp; Pillows</li> </ul> | <ul style="list-style-type: none"> <li>• Trackmat</li> <li>• SXT®</li> <li>• Oil Plus</li> <li>• SPC®</li> <li>• ENV®</li> <li>• SR</li> <li>• Oil Only SOC's &amp; Pillows</li> </ul> | <ul style="list-style-type: none"> <li>• Universal Plus</li> <li>• Hazwik SOC's &amp; Pillows</li> <li>• High Visibility Safety Mat</li> </ul> | <ul style="list-style-type: none"> <li>• Re-Form™</li> <li>• Re-Form™ XPlus</li> <li>• Re-Form™ Plus</li> <li>• Re-Form™ Pro Plus</li> <li>• Re-Form™ Oil Only</li> <li>• MULTIWIK® Soc's</li> </ul> |

| Chemical               | Universal | Oil only | Chemical | Organic |
|------------------------|-----------|----------|----------|---------|
| Acetaldehyde           | X         |          | X        | X       |
| Acetic Acid            | X         |          | X        |         |
| Acetic Anhydride       | X         |          | X        |         |
| Acetone                | X         | X        | X        | X       |
| Acetyl Chloride        | X         |          | X        |         |
| Acrolein               | X         | X        | X        |         |
| Acrylonitrile          | X         |          | X        | X       |
| Allyl Alcohol          | X         |          | X        | X       |
| Aminobenzoic Acid      | X         |          | X        |         |
| Ammonia (Anhydrous)    | X         | X        | X        | X       |
| Ammonium Hydroxide     | X         | X        | X        | X       |
| Amyl Acetate           | X         | X        | X        |         |
| Amyl Alcohol           | X         |          | X        | X       |
| Aniline                | X         |          | X        | X       |
| Antifreeze             | X         |          | X        | X       |
| Aqua Regia             | X         |          | X        |         |
| Aviation Fuel          | X         | X        | X        | X       |
| Benzene                | X         | X        | X        | X       |
| Benzoic Acid           | X         |          | X        |         |
| Benzonitrile           | X         |          | X        |         |
| Benzoyl Chloride       | X         |          | X        |         |
| Benzyl Alcohol         | X         |          | X        | X       |
| Boric Acid             | X         |          | X        |         |
| Brake Fluid            | X         | X        | X        | X       |
| Bromine                | X         |          | X        |         |
| Butyl Acetate          | X         | X        | X        |         |
| Butyl Alcohol          | X         | X        | X        | X       |
| Butyric Acid           | X         | X        | X        |         |
| Butylamine             | X         |          | X        | X       |
| Butyric Acid           | X         | X        | X        |         |
| Calcium Hydroxide      | X         |          | X        |         |
| Carbolic Acid          | X         |          | X        |         |
| Carbon Disulfide       | X         |          | X        |         |
| Carbon Tetrachloride   | X         | X        | X        | X       |
| Castor Oil             | X         | X        | X        | X       |
| Chlorine Water         | X         |          | X        |         |
| Chloroacetic Acid      | X         |          | X        |         |
| Chlorobenzene          | X         |          | X        |         |
| Chloroform             | X         | X        | X        | X       |
| Chromic Acid (50%)     | X         |          | X        |         |
| Chlorosulfonic Acid    | X         |          | X        |         |
| Citric Acid            | X         |          | X        |         |
| Clorox (Full Strength) | X         |          | X        | X       |
| Corn Oil               | X         | X        | X        | X       |
| Cottonseed Oil         | X         | X        | X        | X       |
| Cresol                 | X         | X        | X        | X       |
| Cyclohexane            | X         | X        | X        | X       |

| Chemical            | Universal | Oil only | Chemical | Organic |
|---------------------|-----------|----------|----------|---------|
| Detergents          | X         |          | X        | X       |
| Dichlorobenzene     | X         | X        | X        |         |
| Diethylamine        | X         | X        | X        |         |
| Diethyl Ether       | X         | X        | X        | X       |
| Disooctyl Phthalate | X         | X        | X        | X       |
| Dinitrobenzene      | X         | X        | X        |         |
| Dioxan              | X         |          | X        | X       |
| Ether               | X         | X        | X        | X       |
| Ethyl Acetate       | X         | X        | X        | X       |
| Ethyl Alcohol       | X         | X        | X        | X       |
| Ethyl Benzene       | X         | X        | X        |         |
| Ethyl Chloride      | X         | X        | X        |         |
| Ethyl Ether         | X         | X        | X        | X       |
| Ethyl Propionate    | X         | X        | X        | X       |
| Ethylene Glycol     | X         |          | X        | X       |
| Formaldehyde        | X         |          | X        | X       |
| Formic Acid         | X         |          | X        |         |
| Fuel Oil            | X         | X        | X        | X       |
| Gasoline            | X         | X        | X        | X       |
| Gearbox Oil         | X         | X        | X        | X       |
| Glacial Acetic Acid | X         |          | X        |         |
| Glycerol            | X         |          | X        | X       |
| Heptane             | X         | X        | X        | X       |
| Hexane              | X         | X        | X        | X       |
| Hydrazine           | X         |          | X        |         |
| Hydrochloric Acid   | X         |          | X        |         |
| Hydrofluoric Acid   | X         |          | X        |         |
| Hydrogen Cyanide    | X         | X        | X        |         |
| Hydrogen Peroxide   | X         |          | X        | X       |
| Isobutyl Alcohol    | X         | X        | X        | X       |
| Isobutyric Acid     | X         | X        | X        |         |
| Isopropyl Acetate   | X         | X        | X        | X       |
| Isopropyl Alcohol   | X         | X        | X        | X       |
| Kerosene            | X         | X        | X        | X       |
| Keytones            | X         | X        | X        | X       |
| Linseed Oil         | X         | X        | X        | X       |
| Lubricating Oil     | X         | X        | X        | X       |
| Magnesium Hydroxide | X         |          | X        |         |
| Methyl Alcohol      | X         | X        | X        | X       |
| Methyl Chloride     | X         | X        | X        |         |
| Methyl Ether        | X         | X        | X        | X       |
| Methyl Ethyl Ketone | X         | X        | X        | X       |
| Methyl Propionate   | X         | X        | X        | X       |
| Mineral Oil         | X         | X        | X        | X       |
| Motor Oil           | X         | X        | X        | X       |
| Naphthalene         | X         | X        | X        | X       |
| Nitric Acid         | X         |          | X        |         |


| Chemical                     | Universal | Oil only | Chemical | Organic |
|------------------------------|-----------|----------|----------|---------|
| Nitrobenzene                 | X         |          | X        |         |
| Nitrobenzoic Acid            | X         |          | X        |         |
| Nitrotoluene                 | X         | X        | X        | X       |
| Octane                       | X         | X        | X        | X       |
| Oleic Acid                   | X         | X        | X        |         |
| Olive Oil                    | X         | X        | X        | X       |
| Paraffin                     | X         | X        | X        | X       |
| Perchloroethylene            | X         | X        | X        | X       |
| Petroleum Ether              | X         | X        | X        | X       |
| Phenol                       | X         |          | X        | X       |
| Phosphoric Acid              | X         |          | X        |         |
| Plating Solutions            | X         |          | X        |         |
| Potassium Hydroxide          | X         |          | X        |         |
| Propanol                     | X         |          | X        | X       |
| Propionic Acid               | X         | X        | X        |         |
| Propyl Alcohol               | X         | X        | X        | X       |
| Propylene Glycol             | X         | X        | X        | X       |
| Quinoline                    | X         |          | X        |         |
| Resorcinol                   | X         |          | X        |         |
| Salt Solutions (metallic)    | X         |          | X        | X       |
| Silicone Oil                 | X         | X        | X        | X       |
| Silver Nitrate               | X         |          | X        | X       |
| Soap Solution (concentrated) | X         | X        | X        | X       |
| Sodium Bicarbonate           | X         |          | X        | X       |
| Sodium Chloride              | X         |          | X        | X       |
| Sodium Hydroxide             | X         |          | X        |         |
| Sodium Hypochlorite          | X         |          | X        | X       |
| Sodium Nitrate               | X         |          | X        | X       |
| Stannic Chloride             | X         |          | X        |         |
| Starch                       | X         |          | X        | X       |
| Styrene                      | X         | X        | X        | X       |
| Sucrose                      | X         |          | X        | X       |
| Sulfuric Acid                | X         |          | X        |         |
| Synthetic Motor Oil          | X         | X        | X        | X       |
| Tannic Acid                  | X         |          | X        |         |
| Toluene                      | X         | X        | X        | X       |
| Transformer Oil              | X         | X        | X        | X       |
| Trichloroethylene            | X         | X        | X        | X       |
| Triethylene Glycol           | X         | X        | X        | X       |
| Turpentine                   | X         | X        | X        | X       |
| Urine                        | X         |          | X        | X       |
| Vinyl Acetate                | X         | X        | X        | X       |
| Vinegar                      | X         |          | X        | X       |
| Xylene                       | X         | X        | X        | X       |

Disclaimer: The above information is provided as a guide only. No claims or warranties are expressed or implied as to the absolute accuracy of the data supplied. In all cases it is assumed chemicals in question are at ambient temperatures and pressure and are used in basic state, not in combination or mixtures. Small test samplings by user is always recommended to ensure safe application.

| Order Reference | Article No. | Page | Order Reference | Article No. | Page | Order Reference                       | Article No. | Page |
|-----------------|-------------|------|-----------------|-------------|------|---------------------------------------|-------------|------|
| AW124           | 813791      | 26   | OP15-P-E        | 813751      | 13   | SKO-20                                | 813869      | 43   |
| AW1818          | 813792      | 25   | OP200-E         | 138589      | 13   | SKO-240                               | 813884      | 45   |
| AW1818-2        | 813793      | 25   | OP30-DP-E       | 813756      | 13   | SKO-55                                | 813872      | 44   |
| AW412           | 813789      | 26   | OP30-E          | 813754      | 13   | SKO-95                                | 813875      | 44   |
| AW430           | 813788      | 26   | OP30-P-E        | 813755      | 13   | SKO-ADR-L                             | 813865      | 42   |
| AW561           | 813787      | 26   | OP365-P         | 834175      | 13   | SKO-ADR-S                             | 813862      | 42   |
| AW806           | 813790      | 26   | PSF10           | 134430      | 15   | SKO-ATK                               | 813859      | 43   |
| AW99            | 813794      | 25   | PVC18           | 813916      | 50   | SKO-CART                              | 813878      | 45   |
| BAG-PVC24       | 813923      | 50   | PVC24           | 813917      | 50   | SKO-PP                                | 813856      | 43   |
| BAG-PVC42       | 813925      | 50   | PVC36           | 813918      | 50   | SKO-XLT                               | 813887      | 45   |
| BM15-E          | 813833      | 33   | PVC42           | 813919      | 50   | SL-12 BARR-C                          | 813905      | 47   |
| BM30-E          | 813834      | 33   | RF100           | 813938      | 37   | SL-7 BARR-C                           | 813904      | 46   |
| BM30X-E         | 813835      | 33   | RF300           | 813939      | 37   | SPC Spill Station Chem & Grab EN      | 134435      | 40   |
| BSM100          | 813839      | 33   | RF500           | 813940      | 37   | SPC Spill Station Chem EN             | 134434      | 40   |
| BSM3650         | 813838      | 33   | RFDP300         | 813944      | 38   | SPC Spill Station Empty               | 134431      | 40   |
| CH100           | 107688      | 28   | RFDP314P        | 813949      | 38   | SPC Spill Station Oil & Grab EN       | 134433      | 40   |
| CH15P           | 107690      | 28   | RFODP100        | 813962      | 38   | SPC Spill Station Oil EN              | 134432      | 40   |
| CH200           | 134818      | 28   | RFOP28DP        | 813964      | 38   | SPC Spill Station Universal & Grab EN | 134436      | 40   |
| CH303           | 134360      | 28   | RFP28DP         | 813946      | 38   | SPC Spill Station Universal EN        | 134437      | 40   |
| CH30DP          | 107691      | 28   | RFP300          | 813942      | 38   | SPC10                                 | 813783      | 16   |
| CS-CB18         | 813802      | 20   | RFP328DP        | 813948      | 38   | SPC100-E                              | 813736      | 12   |
| DJR126          | 830952      | 41   | RFP500          | 813943      | 38   | SPC105-E                              | 813735      | 13   |
| DJR127          | 830953      | 41   | RFPP100         | 134355      | 37   | SPC150                                | 813759      | 12   |
| DJR128          | 830954      | 41   | RFPP30P         | 134356      | 37   | SPC150-P                              | 138590      | 12   |
| DJR129          | 830955      | 41   | SA-AFA          | 813830      | 33   | SPC152                                | 813760      | 12   |
| DTA25           | 813795      | 25   | SA-AFO          | 813829      | 33   | SPC152-P                              | 138591      | 12   |
| DT025           | 813784      | 15   | SA-SBA          | 813909      | 48   | SPC155                                | 813757      | 12   |
| ENV100-M        | 813741      | 11   | SA-SBH          | 813910      | 48   | SPC155-2P                             | 813758      | 12   |
| ENV150-E        | 813761      | 11   | SA-SBO          | 813908      | 48   | SPC1900                               | 813799      | 20   |
| ENV152-E        | 813762      | 11   | SB-3            | 813921      | 50   | SPC200-3-E                            | 813739      | 12   |
| ENV200-M        | 813742      | 11   | SB-MAB-COR      | 813982      | 50   | SPC200-E                              | 813737      | 12   |
| ENV300-M        | 813743      | 11   | SB-MAB-KIT      | 813980      | 50   | SPC300-E                              | 813738      | 12   |
| ENV400-M        | 813744      | 11   | SB-MAB-WALL     | 813981      | 50   | SPC50-E                               | 813740      | 12   |
| ENV510          | 813772      | 19   | SB-SL44         | 813977      | 53   | SPC510                                | 813769      | 18   |
| ENV810          | 813771      | 19   | SB-SL46         | 813978      | 53   | SPC516                                | 813770      | 18   |
| GP100-M         | 813812      | 23   | SB-SL48         | 813979      | 53   | SPC518                                | 813774      | 16   |
| GP150-E         | 813826      | 23   | SB-SQ11         | 813973      | 53   | SPC810-E                              | 813767      | 18   |
| GP150-P-E       | 813827      | 23   | SB-SQ15         | 813974      | 53   | SPC816-E                              | 813768      | 18   |
| GP152-P-E       | 813828      | 23   | SB-SQ16         | 813975      | 53   | SPC818-E                              | 813773      | 16   |
| GP200-M         | 813813      | 23   | SB-SQ20         | 813976      | 53   | SPCJR-1205                            | 813806      | 19   |
| HAZ124          | 813852      | 30   | SB-SQ3          | 813971      | 53   | SPCJR-1210                            | 813805      | 19   |
| HAZ1818         | 813853      | 30   | SB-SQ8          | 813972      | 53   | SPCMB-0525                            | 813803      | 19   |
| HAZ1818-2       | 813854      | 30   | SC-3000         | 813899      | 49   | SPCMB-BAG                             | 813804      | 19   |
| HAZ412          | 813850      | 30   | SC-4            | 813900      | 49   | SR1850                                | 813745      | 11   |
| HAZ806          | 813851      | 30   | SC-ACC          | 813901      | 49   | SR3600                                | 813766      | 11   |
| HAZ99           | 813855      | 30   | SC-D15          | 813902      | 49   | SR3625                                | 813746      | 11   |
| HT555-E         | 813836      | 25   | SC-D40          | 813903      | 49   | SW1200                                | 813814      | 26   |
| HT777-E         | 813837      | 25   | SC-DK           | 813967      | 51   | SXT200-E                              | 813730      | 14   |
| MRO100-E        | 813809      | 24   | SC-DP2          | 813968      | 52   | SXT300-E                              | 813731      | 14   |
| MRO150-DND-E    | 813811      | 24   | SC-DP4          | 813969      | 52   | SXT315-P-E                            | 813748      | 14   |
| MRO15-DP-E      | 813819      | 23   | SC-DPR          | 813970      | 52   | SXT330-DP-E                           | 813749      | 14   |
| MRO15-DPS-E     | 813820      | 23   | SC-LBIN         | 813906      | 47   | TM19                                  | 813764      | 34   |
| MRO15-E         | 813817      | 23   | SC-SD2          | 813966      | 51   | TM29                                  | 813765      | 34   |
| MRO15-P-E       | 813818      | 23   | SC-XLBIN        | 813907      | 47   | TM30                                  | 813747      | 34   |
| MRO200-E        | 138588      | 24   | SF1             | 813796      | 15   | TM58                                  | 813763      | 34   |
| MRO30-DP-E      | 813824      | 23   | SIR36           | 813840      | 34   | UN100-E                               | 813842      | 29   |
| MRO30-E         | 813822      | 23   | SIR72           | 813841      | 34   | UN1212-E                              | 813843      | 29   |
| MRO30-P-E       | 813823      | 23   | SKA-120         | 813882      | 45   | UN15-2DP-E                            | 813844      | 29   |
| MRO315-P-E      | 813821      | 23   | SKA-20          | 813870      | 43   | UN15-DP-E                             | 813845      | 29   |
| MRO330-DP-E     | 813825      | 23   | SKA-240         | 813885      | 45   | UN15-DPS-E                            | 813846      | 29   |
| MRO365-P        | 834176      | 23   | SKA-55          | 813873      | 44   | UN30-DP-E                             | 813847      | 29   |
| MS124           | 813954      | 37   | SKA-95          | 813876      | 44   | UN365-P                               | 834177      | 29   |
| MS412           | 813951      | 37   | SKA-ADR-L       | 813866      | 42   | UN510                                 | 813849      | 30   |
| MS50            | 813952      | 37   | SKA-ADR-S       | 813863      | 42   | UN810                                 | 813848      | 30   |
| MS806           | 813953      | 37   | SKA-ATK         | 813860      | 43   | UXT200-E                              | 813807      | 24   |
| NPR36           | 813920      | 50   | SKA-CART        | 813879      | 45   | UXT300-E                              | 813808      | 24   |
| ODN08           | 813801      | 20   | SKA-PP          | 813857      | 43   | UXT315-P-E                            | 813815      | 24   |
| OIL124          | 813778      | 16   | SKA-XLT         | 813888      | 45   | UXT330-DP-E                           | 813816      | 24   |
| OIL1818         | 813780      | 16   | SKH-120         | 813883      | 45   |                                       |             |      |
| OIL1818-2       | 813781      | 16   | SKH-20          | 813871      | 43   |                                       |             |      |
| OIL412          | 813776      | 16   | SKH-240         | 813886      | 45   |                                       |             |      |
| OIL430          | 813775      | 16   | SKH-55          | 813874      | 44   |                                       |             |      |
| OIL561          | 813779      | 16   | SKH-95          | 813877      | 44   |                                       |             |      |
| OIL806          | 813777      | 16   | SKH-ADR-L       | 813867      | 42   |                                       |             |      |
| OIL99           | 813782      | 16   | SKH-ADR-S       | 813864      | 42   |                                       |             |      |
| ONO30           | 813800      | 20   | SKH-ATK         | 813861      | 43   |                                       |             |      |
| OP100-E         | 813732      | 13   | SKH-CART        | 813880      | 45   |                                       |             |      |
| OP150-DND-E     | 813733      | 13   | SKH-MINI        | 813868      | 48   |                                       |             |      |
| OP15-DP-E       | 813752      | 13   | SKH-PP          | 813858      | 43   |                                       |             |      |
| OP15-DPS-E      | 813753      | 13   | SKH-XLT         | 813889      | 45   |                                       |             |      |
| OP15-E          | 813750      | 13   | SKO-120         | 813881      | 45   |                                       |             |      |

# BRADY - YOUR COMPLETE WORK SAFETY SOLUTION PROVIDER

Find out more safety products from our extensive portfolio. Visit our websites or contact your nearest Brady representative.



## LOCKOUT/TAGOUT - SOLUTIONS FOR HAZARDOUS ENERGY CONTROL

From audit and identification of energy control points, through procedure creation and the selection of adequate products, up to employee training and safety awareness promotion – Brady offers full support and a broad range of products to create your advanced work safety environment.



## SCAFFTAG - EQUIPMENT STATUS MANAGEMENT SYSTEMS

Provide essential records of the safe condition of all your site equipment and scaffolding.

- Simple to implement
- Easy for workers to understand
- Specially designed for rough environments
- Highly visible



## SAFETY SIGNS - IMPORTANT INFORMATION AT THE POINT OF NEED

We offer more than 8,000 different signs for safety, maintenance and facility identification.

- Designed to withstand even the harshest industrial environments
- Bright colours, bold text and intuitive pictograms
- Compliant with the latest standards and regulations
- Highly visible and easy to understand communication



## PIPE MARKERS - EASILY IDENTIFY PIPE CONTENT AND FLOW DIRECTION

The correct identification of pipes ensures a better insight into a building's structure. Accidents, injuries and damage can be prevented.



WHEN PERFORMANCE MATTERS MOST™

### BRADY Africa

361 Olympic Duel,  
Northlands Business Park  
Newmarket Road  
Randburg  
Tel: +27 11 704 3295  
Fax: +27 86 501 7775

### BRADY Benelux

Industriepark C/3  
Lindestraat 20  
9240 Zele, Belgium  
Tel: +32 (0) 52 45 78 11  
Fax: +32 (0) 52 45 78 12

### BRADY Central & Eastern Europe

Na Pátoch 18  
831 06 Bratislava, Slovakia  
Tel: +421 2 3300 4800  
Fax: +421 2 3300 4801

### BRADY Denmark

Svendborgvej 39D  
5260 Odense S  
Tel: +45 66 14 44 00  
Fax: +45 66 14 44 50

### BRADY France

Parc EURO CIT  
45, avenue de l'Europe  
59436 Roncq Cedex  
Tel: +33 (0) 3 20 01 08 70  
Fax: +33 (0) 3 20 01 08 76

### BRADY Germany

Brady-Straße 1  
63329 Egelsbach  
Tel: +49 (0) 6103 7598 660  
Fax: +49 (0) 6103 7598 670

### BRADY Hungary

Puskás Tivadar u. 4.  
2040 Budaörs  
Tel: +36 23 500 275  
Fax: +36 23 500 276

### BRADY Italy

Via Degli Abeti 44  
20064 Gorgonzola (MI)  
Tel: +39 02 26 00 00 22  
Fax: +39 02 25 75 351

### BRADY Middle East FZE

PO BOX 18015  
Jebel Ali, Dubai, UAE  
Tel: +971 4881 2524  
Fax: +971 4881 3183

### BRADY Norway

Kjeller Vest 2  
2007 Kjeller  
Tel: +47 70 13 40 00  
Fax: +47 70 13 40 01

### BRADY Romania

World Trade Center  
Piata Montreal, nr 10  
Intrarea F, Etajul 1, Birou 1.16,  
Sector 1,  
Bucharest, 011469  
Tel: +40 21 202 3032  
Fax: +40 21 202 3100

### BRADY Russia

Avrora Business Park, Office 2305  
82/2, Sadovnicheskaya Street  
115035 Moscow  
Tel: +7 495 225 93 62

### BRADY Spain & Portugal

Av. Ventisquero de la condesa 13,  
local 17 y 18  
28035 Madrid, Spain  
Tel: +34 900 902 993  
Fax: +34 900 902 994

### Brady Sweden

Vallgatan 5  
170 67 Solna  
Tel: +46 (0) 8 590 057 30  
Fax: +46 (0) 8 590 818 68

### BRADY Turkey

Konaklar Mah. Selvili Sokak  
C13 Blok No.8 Kat:3 Daire:5  
34330 4.Levent-Besiktas  
Istanbul  
Tel: +90 212 264 02 20 / 264 02 21  
Fax: +90 212 270 83 19

### BRADY UK & Ireland

Wildmere Industrial Estate  
Banbury, Oxon – OX16 3JU, UK  
Tel: +44 (0) 1295 228 288  
Fax: +44 (0) 1295 228 219

### BRADY WORLDWIDE

|                        |                 |
|------------------------|-----------------|
| Australia .....        | 612-8717-6300   |
| Brazil .....           | 55-11-3686-4720 |
| Canada .....           | 1-800-263-6179  |
| China (Beijing) .....  | 86-10-6788-7799 |
| China (Shanghai) ..... | 86-21-6886-3666 |
| China (Wuxi) .....     | 86-510-528-2222 |
| Hong Kong .....        | 852-2359-3149   |
| Japan .....            | 81-45-461-3600  |
| Korea .....            | 82-31-451-6600  |
| Latin America .....    | 1-414-540-5560  |
| Malaysia .....         | 60-4-646-2700   |
| Mexico .....           | 525-399-6963    |
| New Zealand .....      | 61-2-8717-2200  |
| Philippines .....      | 63-2-658-2077   |
| Singapore .....        | 65-6477-7261    |
| Taiwan .....           | 886-3-327-7788  |
| Thailand .....         | 66-2-793-9200   |
| USA .....              | 1-800-537-8791  |

Your distributor



© 2015 Brady Worldwide, Inc. All Rights Reserved.