

## **GENERAL PRODUCT SPECIFICATION**

Date	6-29-06	Replaces	3-20-01	No. Pages	1		
<b>Product De</b>	scription:						
Style		SOC					
Item Size (each)		7.6 cm d x 122 cm long					
Color		White with blue	logo printing				
Compositio	n	100% Polyprop	ylene				
Structure		Sorbent fill: Micro-fibrous meltblown polypropylene (2-10 micron diameters)					
		Outer covering: Spunbond polypropylene nonwoven (15-30 micron dia. fiber)					
Technology	Technology Meltblown + Spunbond + Sealed or Enclosed Ends						

Intended Application	Chemical Resistant Sorbent Sock for Spills of Oil Base or Solvent Base				
	Liquids				

**Hydrophobic** + Oleophilic

<b>Absorbency Capacity</b>	43 l per case (saturated; medium viscosity- 9x)
----------------------------	---

## **Packaging Description:**

Absorbency

Item No. OIL412

Package configuration	Case	Pkg. Weight	5 kg (4.1 kg)
Items per Package	12 SOCS/Case	Pkg. Dimensions (approx.)	56.5cm x 32cm x 37.5cm
Container type	Carton		

## **Physical Properties**;

<u>Parameter</u>	SPC Test Method	<u>Units</u>	<u>Nominal</u>	(+/-)Tolerance
SOC Weight	Gravimetric	kg	0.34	0.09
Absorbency** (med.	SPCTM-012B	gL/gS	9	8-min.
oil)				
Color	Visual		White	per standard

The above properties are "nominal" values used for PROCESS CONTROL when the product is produced and/or inspected. Performance "nominals" may vary depending upon the specific application, and/or the environment being applied, stored, or shipped. \*\* The "Absorbency" Spec and "SPCTM012" test method is based on the protocol of ASTM F726, using SAE20 non-detergent as the Oil Type, medium viscosity.

Attributes	Product will be free of foreign material contamination, rips, holes, and tears.
<b>Labeling</b> Each package to be clearly labeled with Company Name, Address, Item	
	Date, and/or Package Code (Bar Code).
Certification	Make no changes in basic process or composition without notifying customer.
	Claims for non-conformance of goods must be made within 60-days of delivery.